

FRONT AXLE / STEERING PARTS

TABLE OF CONTENTS



Site: www.winnerbusiness.com - E-mail: sales@winnerbusiness.com - Tel. (754) 212-4605

Address: 4911 Lyons Technology Pkwy #25 - Coconut Creek, FL 33073

JOHN DEERE

02-17

FORD NEW HOLLAND

18-38

MASSEY FERGUSON

39-53

CASE IH

54-69

KUBOTA

70-72



JOHN DEERE

FORD NEW HOLLAND

MASSEY FERGUSON

CASE IH

KUBOTA


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-AM496T
Tie Rod

W-AM498T

1010-(320-330-40-430-420 ALL W/ STD FRONT AXLE)
M W/ STD & ADJUSTABLE FRONT AXLE

A - 3.12"
B - 0.687"
18 RH thread



W-AM3951T
Tie Rod, Long

W-AM2001T

1010-(320-330-40-430-420
ALL W/ STD FRONT AXLE)

A - 11.125"
B - 0.608"



W-AR54637
Tie Rod Assembly

-

840-940-1020 Straight Axle 48"-80"
1030-1040-1120-1130-1140-1520 Straight Axle 48"-80"
1530 Straight Axle 38" Rear Tires - 1630-1640
(2020-2030 ALL Straight Axle 48"-80")
2120-2240 SN<-349999 Straight Axle 38"
Rear Tires - 2440 Straight Axle 53"-79"
2630 Straight Axle 48"-80"
2640 Straight Axle 53"-79"
(INDUSTRIAL/CONSTRUCTION: 301-401 Straight Axle)

-




W-AL39019
Tie Rod, Long,
(8 notches)

-

1020-1120-1140-1530-1550-1630-1641F-1750-1850
1850N-2020-2120-2150-2255-920-940
(2155-2355N ALL W/ SWEPT BACK AXLE)
1030-1040

A - 9.250"
B - 0.781"



W-AL39020
Tie Rod, Inner

-

820 (3 Cyl.)-830 (3 Cyl.)-840-920-930-1020-1030
1040-1120-1130-1140-1350-1530-1550-1630-1640
1641F-1750-1950N-2020-2120-2150-2250-2255
2350-2355-2450-2550-2555-2755-(2155-2355N
2855N ALL W/ SWEPT BACK AXLE)

A - 5.000"
B - 1.125"
ID thread



W-AL39022
Tie Rod, Long,
(11 notches)

-

1120-1350-1950N-2150-2255-820 (3 Cyl.)
830 (3 Cyl.) - 840-920-930-1750 SWEPT BACK
(2155-2355N-2855N ALL SWEPT BACK AXLE) - 1030
1040 W/ SWEPT BACK AXLE

A - 12.250"
B - 0.781"




W-AL39024
Tie Rod, Long,
(13 notches)

-

840-940-1020-1030-1040-1120-1130-1140-1350
1550-1630-1640-1750-1850-1950-2020-2120-2150
2155 W/ STRAIGHT AXLE - 2250-2350-2355
2550-2755

A - 14.509"
B - 0.781"




W-AL68629
Tie Rod, Inner

-

840-1040-1140-1350-1550-1750-1950N - 2150
2155-2255-2355N-2755-2855N ALL W/ SWEPT
BACK AXLE

A - 5.000"
B - 1.125"
ID thread



W-AR74131
Tie Rod






W-AR20032

(INDUSTRIAL / CONSTRUCTION: 500)
(2355-2555-2750-2755 ALL RH GP TRACTORS)
(5010-5020-6030 ALL STD / FIXED AXLES)

A - 3.750"
B - 1.000"
16 RH

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-AR74132 Tie Rod	W-AR20033	(INDUSTRIAL / CONSTRUCTION: 500) (2355-2555-2750-2755 ALL LH GP TRACTORS) (5020-6030 ALL W/ FIXED AXLE)	A - 3.750" B - 1.000" - 16
W-AT20943 Tie Rod, Long, (11 grooves)	-	(INDUSTRIAL / CONSTRUCTION: 300-400) (1020-1520-2020 ALL W/ SWEEP BACK ADJ AXLE 48"-78")	A - 12.500" B - 0.750"
W-AT20944 Tie Rod, Long, (13 grooves)	-	(1520-2020 ALL STR AXLE 48"-78") 1020 STRAIGHT AXLE 48"-80" HU, RU	A - 14.750" B - 0.750"
W-AT20945 Tie Rod, Long, (8 grooves)	-	(1020-2020 ALL W/ SWEEP BACK ADJ AXLE 44"-66")	A - 9.750" B - 0.750"
W-AL37204 Tie Rod, Long	-	1550-1640-1641-1750-1840-1850-1950-2040 2040S-2140-2141-2250-2251-2350-2351-2355 2450-2541-2550-2555-2650-2651-2750-2755 2850-2941-2951-6110L-6120L-6200-6200L-6210L 6220L-6300-6300L-6310L-6310S-6320L-6400 6400L-6410L-6410S-6420L-6500-6500L 6510L-6510S-6520L	A - 18.750" B - 1.250"
W-AL37193 Tie Rod End	W-AL31497 W-AL37205	1550-1640-1641-1750-1840-1850-1950-2040-2040S 2140-2250-2251-2350-2351-2355-2450-2550-2555 2650-2651-2750-2755-2850-2940-2950-2951-2955 3040-3050-3055-3140-3150-3255-3340-3350 6010-6020-6100-6110-6110L-6120-6120L-6130 6140J-6155J-6200-6200L-6210-6210L-6220-6220L 6230-6230 PREMIUM-6300-6300L-6310-6310L 6310S-6320-6320L-6330-6330 PREMIUM-6400 6400L-6400SP-6403-6405-6410-6410L-6410S-6420 6420L-6430-6430 PREMIUM-6500-6500L-6510 6510L-6510S-6520-6520L-6530-6534-6603-6605 6610-6620-6630-7130-7230-7405-7420-7425-7500 7525-SE6010-SE6020-SE6100-SE6110-SE6120 SE6200-SE6210-SE6220-SE6300-SE6310-SE6320 SE6400-SE6410-SE6420-SE6510-SE6520	A - 3.88" B - M24 x 2 RH
W-AL37523 Tie Rod	-	2140-3040-3140 ALL SN<449999	A - 4.625" B - M24 x 1.5 RH thread
W-AL63612 Tie Rod	-	1550-1750-1850-2155 ALL W/ MFWD SN 622000->	A - 4.060" B - 28mm 1.5 thread




JOHN DEERE

Code / Name

Replaces

For Models

Dim / Info



W-AL38645
Tie Rod

-

1850N-1950N-2150-2155-2840-3030
(COMPACT TRACTOR: 3120)
3130

A - 4.060"
B - 24mm
1.250" thread




W-AL38646
Tie Rod, Long

W-AL27534
W-AL110130

2840-3030-(COMPACT TRACTOR: 3120)-3130

A - 13.620"
B - 0.865"




W-AL68724
Tie Rod, Long

-

2950-2955-3040-3050-3140-3150-3350-6010
6020-6100-6110-6110L-6120-6120L-6130
6140J-6155J-6200-6200L-6210-6210L-6220
6220L-6230-6230 PREMIUM-6300-6300L
6310-6310L-6310S-6320-6320L-6330
6330 PREMIUM-6400-6400L-6400SP-6403
6405-6410-6410L-6410S-6420-6420L-6430
6430 PREMIUM-6500-6500L-6510-6510L
6510S-6520-6520L-6530-6534-6603-6605
6610-6620-6630-7130-7230-7405-7420-7425
7500-7525-SE6010-SE6020-SE6100
SE6110-SE6120-SE6200-SE621

A - 26.250"
B - 1.250"




W-LVA10728
Tie Rod

-

(INDUSTRIAL/CONSTRUCTION: 110 MFWD) COMPACT
TRACTOR: (3120-3203-3320-3520-3720-4120-4200
4210-4300-4310 ALL MFWD)-4320 MFWD-COMPACT
TRACTOR: (4400-4410-4510 ALL MFWD)-4520 MFWD
COMPACT TRACTOR: (4600-4610-4700-4710-4720
ALL MFWD)

A - 4.00"
B - 1.00
16 UN RH thread




W-AR68818
Drag Link Assembly

W-AT19808

INDUSTRIAL/CONSTRUCTION: 300-301-310
1020-1520-1530-2040-2240
820 (3 Cyl.) - 830 (3 Cyl.)

A - 35.781"
B - 1.000"

Ball Joint ends are rotated 90 degrees




W-AR91711
Drag Link Assembly

W-AT33297

(INDUSTRIAL/CONSTRUCTION: 401)
2020-2030-2440-2630-2640
W SN < 340999

A - 40.750"
B - 1.062"

Ball Joint ends are rotated 90 degrees.



W-AL39036
Complete Tie Rod
Assembly

W-AL34934

1140-1350-1550-1750-1850-840-940-2040
1040-2150-2155 SN < 720980-2250

A - 35.870"
B - 1.105"



W-AM2984T
Tie Rod, Long








-

420-430 ALL Row Crop Utility

A - 11.00"
B - 0.608"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-AR21944 Tie Rod	W-AF3177R	520-530-620-630-720-730	A - 3.350" B - 0.687" 18 RH thread
W-AR21945 Tie Rod	W-AF3178R	520-530-620-630-720-730	A - 3.350" B - 0.687" 18 RH thread
W-AT15931 Tie Rod	-	1010	A - 3.190" B - 0.687" 18 NF thread
W-AT27130 Tie Rod, Inner	-	820(3 Cyl.)-830(3 Cyl.)-840-920-930-940-1020-1030 1040-1120-1130-1140-1520-1530-1630-1640-1641F 1840-2020-2030-2040-2120-2150-2240-2255-2440 2630-2640-301A-(INDUSTRIAL/CONSTRUCTION: 302-401B-300-301-400-401)	A - 5.000" B - 1.125" I.D. thread
W-AT23886 Tie Rod, Inner	-	(INDUSTRIAL/CONSTRUCTION: 300-400)-1020-1520 1530-2020-2030-2240-2440-2630-2640	A - 5.000" B - 1.000" I.D. thread
W-AT13971 Tie Rod	-	2010-1010 SN 042001 >	A - 3.220" B - 0.687" 18 RH thread
W-AT13972 Tie Rod, Long (10 holes)	-	1010 - 2010	A - 12.000" B - 0.875"
W-AT23583 Tie Rod, Long, Outer (15 grooves)	-	1020-1520-1530-2020-2030 2040-2240-2440-2630-2640	A - 17.250" B - 0.750"
W-AT23885 Tie Rod, Long (11 notches)	-	830 (3 Cyl.)-840-930-940-1020-1040-1120-1140-1530 2020-2030-2040-2150-2240-2255-2440-2630-2640 301A-(INDUSTRIAL/CONSTRUCTION: 302-401B 300-301-400-401)	A - 12.250" B - 0.781"
W-AT27134 Tie Rod, Long Outer (13 notches)	-	840-940-1020-1030-1040-1120-1130-1140-1520-1530 1630-1640-2020-2030-2120-2240-2440-2630-2640 (INDUSTRIAL/CONSTRUCTION: 301-401)	A - 14.509" B - 0.781"



JOHN DEERE

FRONT AXLE / STEERING PARTS

JOHN DEERE

Code / Name

Replaces

For Models

Dim / Info



W-AT27131
Tie Rod, Long Outer
(8 notches)

-

1020-1120-1130-1140-1530-1630-1641F-2020-2030
2040-2120-2150-2240-2255
820 (3 Cyl.) - 830 (3 Cyl.)
920-940-1030-1040

A - 9.250"
B - 0.781"



W-AL82828
Complete Tie Rod
Assembly

W-AL38637
W-VPJ3310

1830-1840-2030-2040-2040S-2130-2140
2250-2450-2650-2850-1640 W/
STANDARD CLEARANCE AXLE
Complete tie rod assembly consists of
(1) W-AL37505 Tie Rod, 6 grooves (2.96lbs),
(1) W-AL82826 Tie Rod (1.7lbs),
(1) W-L32208, (1) W-L64251

-



W-AL39021
Complete Tie Rod
Assembly

-

1120-1350-1550-840
(1750-1950N ALL W/ SWEEP BACK AXLE)
1030-1040
Complete tie rod assembly consists of
(1) W-AL39022, (1) W-T25901,
(1) W-R50507, (1) W-AL39020

-




W-AL39023
Complete Tie Rod
Assembly

-

840-940-1020-1030-1040-1120-1130-1630-2020
2120 - (1140-1350-1550-1750-1850-1950-2250
ALL W/ STRAIGHT FRONT AXLE)
1640 W/ LOW CLEARANCE AXLE
Complete tie rod assembly consists of
(1) W-AL39024, (1) W-T29109,
(1) W-R50507, (1) W-AL39020

-




W-AL37259
Complete Tie Rod
Assembly

W-AL32999

2140-2940-3040-3140 ALL MFWD

A - 56.250"



W-AL110074
Tie Rod, Inner

-

2155-2840-2355 W/ MFWD NARROW SN 622000>

A - 4.250"
B - M24 x 1.5
RH thread



W-AL68726
Tie Rod, Long,
Notched

-

2355-2555-2755-2955 ALL W/60"-88" Tread

-



W-AL38014
Complete Tie Rod
Assembly (RH)

-

2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316
(3140-3340 ALL Mfg. In Spain SN 11942-124106)
(2140-2750 ALL W/ APL345 Front Axle / SN < 24905)
3040-3140 ALL W/ APL345 Front Axle / SN < 26316)

-



W-AL38013
Complete Tie Rod
Assembly (LH)

-

2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316
(3140-3340 ALL Mfg. In Spain SN 11942-124106)
(2140-2750 ALL W/ APL345 Front Axle / SN < 24905)
3040-3140 ALL W/ APL345 Front Axle / SN < 26316)

-



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.






06

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-AL39318 Tie Rod, Long Tube (RH)	-	2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316 (3140-3340 ALL Mfg. In Spain SN 11942-124106) (2140-2750 ALL W/ APL345 Front Axle / SN < 24905) 3040-3140 ALL W/ APL345 Front Axle / SN < 26316)	A - 12.375" B - M24 x 1.5 RH thread
W-AL39315 Tie Rod, Long Tube (LH)	-	2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316 (3140-3340 ALL Mfg. In Spain SN 11942-124106) (2140-2750 ALL W/ APL345 Front Axle / SN < 24905) 3040-3140 ALL W/ APL345 Front Axle / SN < 26316)	A - 12.500" B - M24 x 1.5 RH thread
W-AL56440 Complete Tie Rod Assembly (RH)	-	2140-2750 ALL W APL345 Front Axle/SN 024906> 2950 SN 026317> 3040-3140 ALL W/ APL345 Front Axle/SN 026317> 3140-3340 ALL Mfg. In Spain SN 124107> 3050-3350 ALL European Model 3150-3350 ALL Mfg. In Spain	-
W-AL56439 Complete Tie Rod Assembly (LH)	-	2140-2750 ALL W APL345 Front Axle / SN 024906> 2950 SN 026317> 3040-3140 ALL W/ APL345 Front Axle /SN 026317> 3140-3340 ALL Mfg. In Spain SN 124107> 3050-3350 ALL European Model - 3150 3350 ALL Mfg. In Spain	-
W-AL58014 Tie Rod, Long Tube (RH)	-	2140-2750 ALL W APL345 Front Axle / SN 024906> 2950 SN 026317> 3040-3140 ALL W/ APL345 Front Axle /SN 026317> 3140-3340 ALL Mfg. In Spain SN 124107> 3050-3350 ALL European Model 3150-3350 ALL Mfg. In Spain	A - 11.750" B - M24 x 1.5 RH thread
W-AL58013 Tie Rod, Long Tube (LH)	-	2140-2750 ALL W APL345 Front Axle / SN 024906> 2950 SN 026317> 3040-3140 ALL W/ APL345 Front Axle /SN 026317> 3140-3340 ALL Mfg. In Spain SN 124107> 3050-3350 ALL European Model 3150-3350 ALL Mfg. In Spain	A - 11.750" B - M24 x 1.5 RH thread
W-AL60161 Ball Joint	-	2140-2750 ALL W APL345 Front Axle / SN 024906> 2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316 2950 SN 026317> 3040-3140 ALL W/ APL345 Front Axle /SN 026317> 3140-3340 ALL Mfg. In Spain SN 124107> (3140-3340 ALL Mfg. In Spain SN 11942-124106) (2140-2750 ALL W/ APL345 Front Axle / SN < 24905) 3040-3140 ALL W/ APL345 Front Axle / SN < 26316) 3050-3350 ALL European Model 3150-3350 ALL Mfg. In Spain	A - 8.250" B - M22 x 1.5 RH thread C - M24 x 1.5 RH thread
W-AL69819 Complete Tie Rod Assembly (RH)	W-AL55433	2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316 (3140-3340 ALL Mfg. In Spain SN 11942-124106) (2140-2750 ALL W/ APL345 Front Axle / SN < 24905) 3040-3140 ALL W/ APL345 Front Axle / SN < 26316) Obs: Not for use on heavy duty type axles.	-
W-AL69818 Complete Tie Rod Assembly (LH)	W-AL55432	2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316 (3140-3340 ALL Mfg. In Spain SN 11942-124106) (2140-2750 ALL W/ APL345 Front Axle / SN < 24905) 3040-3140 ALL W/ APL345 Front Axle / SN < 26316) Obs: Not for use on heavy duty type axles.	-





Code / Name	Replaces	For Models	Dim / Info
-------------	----------	------------	------------

W-AL168701
Tie Rod,
Long Tube (LH)

-

2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316
(3140-3340 ALL Mfg. In Spain SN 11942-124106)
(2140-2750 ALL W/ APL345 Front Axle / SN < 24905)
3040-3140 ALL W/ APL345 Front Axle / SN < 26316)
Obs: Not for use on heavy duty type axles.

A - 10.750"
B - M28 x 1.5
RH thread

W-AL39029
Tie Rod

-

COMPACT TRACTOR: 3120 SN < 075015

A - 4"
B - M20 x 1.5
RH thread

W-AL38097
Complete Tie Rod
Assembly

-

2350-2355-2550-2555 - (1550-1750-1850-1950
ALL W APL315/325 Front Axle W/ Hydro Steering)
(1640-2040-2040S ALL W/ APL325 Front Axle /
SN 430000>) - 2140 W/ APL735 Front Axle /
SN 430000> - 2750 W/ APL735 Front Axle - (2755 W/
APL735 Front Axle / SN < 676090) - (2650-2850 ALL
Mfg. In Europe W/ APL325/735 Front Axle) - (2250
2450 ALL European Model) - (1840-2250-2450-2650
2850 ALL Mfg. In Spain) - (2040-2040S ALL Mfg. In
Spain SN 111942>) - 2140 Mfg. In Spain SN 133493>

-

W-AL39319
Tie Rod,
Long Tube

-

2350-2355-2550-2555 - (1550-1750-1850-1950
ALL W APL315/325 Front Axle W/ Hydro Steering)
(1640-2040-2040S ALL W/ APL325 Front Axle /
SN 430000>) - 2140 W/ APL735 Front Axle /
SN 430000> - 2750 W/ APL735 Front Axle - (2755 W/
APL735 Front Axle / SN < 676090) - (2650-2850 ALL
Mfg. In Europe W/ APL325/735 Front Axle) - (2250
2450 ALL European Model) - (1840-2250-2450-2650
2850 ALL Mfg. In Spain) - (2040-2040S ALL Mfg. In
Spain SN 111942>) - 2140 Mfg. In Spain SN 133493>

A - 11.250"
B - M18 x 1.5
RH thread

W-AL39320
Ball Joint

-

2350-2355-2550-2555 - (1550-1750-1850-1950
ALL W APL315/325 Front Axle W/ Hydro Steering)
(1640-2040-2040S ALL W/ APL325 Front Axle /
SN 430000>) - 2140 W/ APL735 Front Axle /
SN 430000> - 2750 W/ APL735 Front Axle - (2755 W/
APL735 Front Axle / SN < 676090) - (2650-2850 ALL
Mfg. In Europe W/ APL325/735 Front Axle) - (2250
2450 ALL European Model) - (1840-2250-2450-2650
2850 ALL Mfg. In Spain) - (2040-2040S ALL Mfg. In
Spain SN 111942>) - 2140 Mfg. In Spain SN 133493>

A - 7"
B - M20 x 1.5 RH thread
C - M18 x 1.5 RH thread

W-AL69818
Complete Tie Rod
Assembly (LH)

W-AL55432

2955-3050-3055-3155-3255-3350-3650
Obs: for use on heavy duty front axles only.

-

W-AL69819
Complete Tie Rod
Assembly (RH)

W-AL55433







2955-3050-3055-3155-3255-3350-3650
Obs: for use on heavy duty front axles only.

-

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-AL68255 Tie Rod, Long Tube (RH)	-	2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316 2955-3050-3055-(3140-3340 ALL Mfg. In Spain SN 11942-124106)- 3155-3255-3350-3650 (2140-2750 ALL W/ APL345 Front Axle / SN < 24905) 3040-3140 ALL W/ APL345 Front Axle / SN < 26316) Obs: Used w/ W-AL68254 and W-AL68255. Also rod end on tie rod assemblies W-AL69818 and W-AL69819. Not for use on heavy duty type axles.	A - 10.750" B - M28 x 1.5 RH thread
W-AL68701 Tie Rod, Long Tube (LH)	-	2955-3050-3055-3155-3255-3350-3650 Obs: Not for use on heavy duty type axles.	A - 10.750" B - M28 x 1.5 RH thread
W-AL68253 Ball Joint	-	2140 Mfg. In Spain SN < 133492 - 2950 SN < 26316 2955-3050-3055-3155-3255-3350-3650 (3140-3340 ALL Mfg. In Spain SN 11942-124106) (2140-2750 ALL W/ APL345 Front Axle / SN < 24905) 3040-3140 ALL W/ APL345 Front Axle / SN < 26316) Obs: Used w/ W-AL68253 and W-AL68255. Also rod end on tie rod assemblies W-AL69818 and W-AL69819	A - 9" B - M24 x 1.5 RH thread C - M28 x 1.5 RH thread
W-AT19823 Complete Tie Rod Assembly	-	(1020-1520-2030-301A ALL W/ FIXED FRONT AXLES) (INDUSTRIAL/CONSTRUCTION: 300-300B-302-302A 310-380-400-401-401B-401C-480-480A-480B ALL W/ FIXED FRONT AXLES)	A - 18.37"
W-AR27430 Tie Rod	-	(1020-1520-2030-301A ALL W/ FIXED FRONT AXLES) (INDUSTRIAL/CONSTRUCTION: 300-300B-302-302A 310-380-400-401-401B-401C-480-480A-480B ALL W/ FIXED FRONT AXLES) (301A-2510-2520-3010-3020-4000-4010-4020 4230-4320 ALL FIXED TREAD STANDARD FRONT AXLES)	A - 3.844" B - 0.875 LH thread
W-AR27351 Tie Rod	-	(1020-1520-2030-301A ALL W/ FIXED FRONT AXLES) (INDUSTRIAL/CONSTRUCTION: 300-300B-302-302A 310-380-400-401-401B-401C-480-480A-480B ALL W/ FIXED FRONT AXLES)-4320-(2510-2520-3010 3020-4000-4010-4020-4230 ALL W/ 88" WIDE TREAD)	A - 3.875" B - 0.875 RH thread
W-AR44332 Complete Tie Rod Assembly	-	2510-2520-3010-3020 4000-4010-4020-4230-4320	-
W-AR44334 Complete Tie Rod Assembly	-	4320-(2510-2520-3010-3020 4000-4010-4020-4230 ALL W/ 88" WIDE TREAD)	-
W-AR51584 Tie Rod, Long	-	(2510-2520-3010-3020 4000-4010-4020-4230 ALL W/ 88" WIDE TREAD) 4320	A - 12.750" B - 1.000" 11 - 0.375" holes



JOHN DEERE

FRONT AXLE / STEERING PARTS

JOHN DEERE

Code / Name

Replaces

For Models

Dim / Info

W-AR44335

Complete Tie Rod Assembly

-

4030-4040-4050-4055-4230-4240
4250-4255-4430-4440-4450-4455
ALL W/ NARROW ROW WIDE FRONT AXLE

-

W-AR63588

Tie Rod

-

4030-4040-4050-4055-4230-4240
4250-4255-4430-4440-4450-4455
ALL W/ NARROW ROW WIDE FRONT AXLE

A - 3.812"
B - 0.875"
RH thread

W-AR63591

Tie Rod, Long
(7 cross holes)

-

4030-4040-4050-4055-4230-4240
4250-4255-4430-4440-4450-4455
ALL W/ NARROW ROW WIDE FRONT AXLE

A - 14.250"
B - 0.995"

W-AR44336

Complete Tie Rod Assembly

-

4030-4040-4050-4055-4230-4240
4250-4255-4430-4440-4450-4455
ALL W/ REG. WIDE FRONT AXLE

-

W-AR63592

Tie Rod, Long Outer
(8 cross holes)

-

4040-4050-4055-4230-4240-4250-4255-4430
4440-4450-4455 ALL W/ HI-CROP MODELS

A - 16.000"
B - 1.000"

W-AR44337

Complete Tie Rod Assembly

-

4030-4040-4050-4055-4230-4240
4250-4255-4430-4440-4450-4455
ALL W/ EXTRA WIDE ROW FRONT AXLES

-

W-AR63593

Tie Rod, Long
(9 cross holes)

-

4030-4040-4050-4055-4230-4240
4250-4255-4430-4440-4450-4455
ALL W/ EXTRA WIDE ROW FRONT AXLES

A - 18.750"
B - 0.990"

W-AR44338

Complete Tie Rod Assembly

-

4040-4050-4055-4230-4240-4250-4255-4430
4440-4450-4455 ALL W/ HI-CROP MODELS

-

W-AR63833

Tie Rod, Long Outer
(8 cross holes)

-

4555-4560-4630-4640-4650-4755-4760
ALL W/ REG. WIDE FRONT AXLE

A - 16.250"
B - 1.116"

W-AR44339

Complete Tie Rod Assembly

-

4640 SN<2436 W/ POWER FRONT AXLES
4040-4230-4250-4430-4440 ALL W/ POWER AXLES

-







Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

10

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.








Code / Name	Replaces	For Models	Dim / Info
W-AR63590 Tie Rod	-	4640 SN<2436 W/ POWER FRONT AXLES 4040-4230-4250-4430-4440 ALL W/ POWER AXLES 4555-4560-4630-4650-4755-4760 ALL W/ EXTRA WIDE FRONT AXLE	A - 4.187" B - 1.000" 16 thread
W-AR63587 Tie Rod, Long (9 cross holes)	-	4640 SN<2436 W/ POWER FRONT AXLES 4040-4230-4250-4430-4440 ALL W/ POWER AXLES	A - 22.500" B - 1.116"
W-AR44340 Complete Tie Rod Assembly	-	4555-4560-4630-4640-4650-4755-4760 ALL W/ REG. WIDE FRONT AXLE	-
W-AR63589 Tie Rod	-	4555-4560-4630-4640-4650-4755-4760 ALL W/ REG. WIDE FRONT AXLE	A - 3.437" B - 1.000" RH thread
W-AR44341 Complete Tie Rod Assembly	-	4555-4560-4630-4640-4650-4755-4760 ALL W/ EXTRA WIDE FRONT AXLE	-
W-AR63595 Tie Rod, Extra Long (9 cross holes)	-	4555-4560-4630-4640-4650-4755-4760 ALL W/ EXTRA WIDE FRONT AXLE	A - 19.500" B - 1.116"
W-AR44342 Complete Tie Rod Assembly	-	4640 SN 2437 -> W/ PFWD	-
W-AR85943 Tie Rod	-	4640 SN 2437 -> W/ PFWD 4840-4850-4955-4960 ALL W/ EXTRA WIDE FRONT	A - 4.871" B - 1.125" 12 thread
W-AR85947 Tie Rod, Long (8 cross holes)	-	4640 SN 2437 -> W/ PFWD	A - 21.000" B - 1.180"



FRONT AXLE / STEERING PARTS

JOHN DEERE

JOHN DEERE



Code / Name	Replaces	For Models	Dim / Info
-------------	----------	------------	------------

W-AR44343
Complete Tie Rod Assembly

-

4840-4850-4955-4960
ALL W/ REG. WIDE FRONT AXLES

-

W-AR85945
Tie Rod

-

4840-4850-4955-4960
ALL W/ REG. WIDE FRONT AXLES

A - 3.875"
B - 1.125"
RH thread

W-AR85946
Tie Rod, Long Outer
(8 cross holes)

-

4840-4850-4955-4960
ALL W/ REG. WIDE FRONT AXLES

A - 15.875"
B - 1.187"

W-AR44344
Complete Tie Rod Assembly

-

4840-4850-4955-4960
ALL W/ EXTRA WIDE FRONT

-

W-AR85944
Tie Rod, Long
(has 9 cross holes)

-

4840-4850-4955-4960
ALL W/ EXTRA WIDE FRONT

A - 18.500"
B - 1.186"

W-RE12324
Complete Tie Rod Assembly

-

4050-4055-4250-4255-4450-4455-4555-4560
4650-4755-4760-4850-4955-4960
ALL W/ MFWD

A - 23.43"

W-RE12325
Tie Rod

-

4050-4055-4250-4255-4450-4455-4555-4560
4650-4755-4760-4850-4955-4960
ALL W/ MFWD

A - 5.875"
B - 1.125"
RH thread

W-RE12326
Tie Rod

-

4050-4055-4250-4255-4450-4455-4555-4560
4650-4755-4760-4850-4955-4960
ALL W/ MFWD

A - 5.875"
B - 1.125"
RH thread

W-LVA10727
Tie Rod (LH)

-

(4320-4520 ALL MFWD)
COMPACT TRACTOR: 3120-3203-3320-3520-3720
4120-4200-4210-4300-4310-4400-4410-4510
4600-4610-4700-4710-4720 ALL MFWD
INDUSTRIAL/CONSTRUCTION: 110 MFWD

A - 3.875"
B - 1.00
16 UN LH thread





Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

12

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-LVU14549 Tie Rod, Inner	-	COMPACT TRACTOR: 4210-4310 ALL 2 WD	A - 3.50" B - 1/2-20 UNF RH thread
W-RE45997 Ball Joint	-	(5103-5200-5203-5210-5220-5300-5303-5310 5320-5400-5410-5510 ALL 2WD) (5300-5400-5500 ALL European /2WD) 5303 Mexico /2WD - (5303-5403 ALL Turkey /2 WD) 5415 SN < 005672 /2 WD - 5420 SN < 443959 /2WD 5520 SN < 453300 /2WD - 5615 SN < 004136 /2WD 5615 Turkey SN < 001052 /2WD 5715 SN < 008654 /2WD 5715 Turkey SN < 001175 /2WD	A - 6.375" B - M18 x 1.5 RH thread C - M20 x 1.5 RH thread
W-RE54957 Tie Rod, Long Tube	-	5105 SN < 411494 / MFWD - (5200-5300-5400 ALL AXLE SN 1466 > / MFWD) - 5205 SN < 421397 / MFWD (5210-5310-5410-5500-5510-5615HC-5625HC 5715HC-5725HC ALL MFWD) - 5220 SN < 420010 / MFWD 5320 SN < 430008 / MFWD - 5415 SN < 005885 / MFWD 5420 SN < 440014 / MFWD - 5520 SN < 450004 / MFWD 5615 SN < 004119 / MFWD 5615 Turkey SN < 001049 / MFWD 5715 SN < 008633 / MFWD 5715 Turkey SN < 001131 / MFWD	A - 6.750" B - M18 x 1.5 RH thread
W-AL161338 Tie Rod, Inner	-	6100D-6110D-6115D-6125D-6130D-6140D-6215 6230-6230 PREMIUM-6320-6320L-6330 6330 PREMIUM-6403-6415-6420-6420L-6430 6430 PREMIUM-6520L-6603-6425 Mexico (6403-6603 ALL Mexico, South Africa & Asia) (6130-6230-6230 PREMIUM-6320-6325-6330 6330 PREMIUM-6420-6425-6430-6430 PREMIUM ALL European)	A - 6.750" B - M24 x 1.5 RH thread
W-AL160539 Complete Tie Rod Assembly	-	(6615-6715 ALL Later Models W/ FWD Axle - 740) (7220-7320 ALL SN 002762 > W/ FWD Axle W/ or W/O TLS - 740) - (6515-6520-6620 SEG6520-SEG6620 ALL European Edition W/ FWD Axle - W/ or W/O TLS - 740)	-
W-AL160111 Complete Tie Rod Assembly	-	(6820-6920-6920S ALL European Edition W/ FWD Axle - W/ or W/O TLS 745/750) (7420-7520 ALL Mexico Edition W/ FWD Axle - 745/750) - (7420-7520 ALL W/ FWD Axle W/ or W/O TLS - 745/750) - 7515 SN 070011 >	-



JOHN DEERE

FRONT AXLE / STEERING PARTS

JOHN DEERE

JOHN DEERE


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-RE66622
Tie Rod (RH)

-

(7210-7410-7510-7610-7710-7810 ALL W/ MFWD)
(7600-7700-7800 ALL W/ MFWD SN 036467>)
(7200-7400 ALL W/ MFWD SN 006400>)

A - 5.50"
B - 1 1/8
12 UNF RH thread



W-RE66623
Tie Rod (LH)

-

(7210-7410-7510-7610-7710-7810 ALL W/ MFWD)
(7600-7700-7800 ALL W/MFWD SN 036467>)
(7200-7400 ALL W/MFWD SN 006400>)

A - 5.50"
B - 1 1/8
12 UNF LH thread




W-RE161019
Complete Tie Rod
Assembly (RH)

W-RE161182
W-RE261923
W-RE214053

7210-7410-7510-7610-7710-7810 ALL W/ MFWD

-




W-RE214055
Ball Joint

W-RE150906

7210-7410-7510-7610-7710-7810 ALL W/ MFWD

A - 9.625"
B - 1.25 - 12 UNF RH thread
C - 1.00 - 12 UNF LH thread



W-RE161021
Tie Rod,
Long Tube (RH)

-

7210-7410-7510-7610-7710-7810 ALL W/ MFWD

A - 10.00"
B - 1.25 - 12 UNF RH thread
C - 1.625"




W-RE161020
Complete Tie Rod
Assembly (LH)

W-RE155929

7210-7410-7510-7610-7710-7810 ALL W/ MFWD
7610-7710-7810 ALL Triple Link Suspension

-




W-RE214056
Ball Joint

W-RE161023

7210-7410-7510-7610-7710-7810 ALL W/ MFWD
7610-7710-7810 ALL Triple Link Suspension

A - 9.625"
B - 1.25 - 12 UNF LH thread
C - 1.00 - 12 UNF RH thread



W-RE161022
Tie Rod,
Long Tube (LH)

-

7210-7410-7510-7610-7710-7810 ALL W/ MFWD
7610-7710-7810 ALL Triple Link Suspension


A - 10.00"
B - 1.25 - 12 UNF LH thread
C - 1.625"

14




WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-AL110343 Complete Tie Rod Assembly (RH)	W-AL79809	6200-6200L-6300L-6400L ALL W/ APL2025 Front Axle	-
W-AL110342 Complete Tie Rod Assembly (LH)	W-AL79810	6200-6200L-6300L-6400L ALL W/ APL2025 Front Axle	-
W-AL110956 Tie Rod, Long Tube (RH)	W-AL80538	6200-6200L-6300L-6400L ALL W/ APL2025 Front Axle	A - 11.250" B - M20 x 1.5 RH thread
W-AL110957 Tie Rod, Long Tube (LH)	W-AL80537	6200-6200L-6300L-6400L ALL W/ APL2025 Front Axle	A - 11.250" B - M22 x 1.5 RH thread
W-AL80541 Ball Joint (LH)	-	6200-6200L-6300L-6400L ALL W/ APL2025 Front Axle	-
W-AL116559 Complete Tie Rod Assembly (RH)	W-AL110345	(6310S-6320L-6410S-6420L-6506-6510-6510S 6520L-6600-6605-6610-7220-7320 ALL MFWD) (6120-6120L-6220-6220L ALL AS2025) - (6320-6403 6420-6603 ALL AS2035) - (6615-6715 ALL AS2045) 6010 APL2025/AS2025 - (6215-6415 ALL AS2025/ AS2035) - (6300L-6400L-6500L ALL APL2035/ AS2035) - (6800-6810 ALL APL2045/AS2045) (6110-6110L-6210-6210L-6300-6310-6310L 6400-6405-6410-6410L-6500-6510L ALL APL2025 2035 & AS2025/2035) - (7210-7410 ALL W/ ZF Front Axle/SN 052869> / Except Hi-Crop)	-



JOHN DEERE






W-AL116558
Complete Tie Rod
Assembly (LH)

W-AL110346

(6310S-6320L-6410S-6420L-6506-6510-6510S
6520L-6600-6605-6610-7220-7320 ALL MFWD)
(6120-6120L-6220-6220L ALL AS2025) - (6320-6403
6420-6603 ALL AS2035) - (6615-6715 ALL AS2045)
6010 APL2025/AS2025 - (6215-6415 ALL AS2025/
AS2035) - (6300L-6400L-6500L ALL APL2035/
AS2035) - (6800-6810 ALL APL2045/AS2045)
(6110-6110L-6210-6210L-6300-6310-6310L
6400-6405-6410-6410L-6500-6510L ALL APL2025
2035 & AS2025/2035) - (7210-7410 ALL W/ ZF Front
Axle/SN 052869> / Except Hi-Crop)

Dim / Info

-




W-AL116740
Tie Rod,
Long Tube (LH)

W-AL110887
W-AL168708
W-AL80534

(6310S-6320L-6410S-6420L-6506-6510-6510S
6520L-6600-6605-6610-7220-7320 ALL MFWD)
(6120-6120L-6220-6220L ALL AS2025) - (6320-6403
6420-6603 ALL AS2035) - (6615-6715 ALL AS2045)
6010 APL2025/AS2025 - (6215-6415 ALL AS2025/
AS2035) - (6300L-6400L-6500L ALL APL2035/
AS2035) - (6800-6810 ALL APL2045/AS2045)
(6110-6110L-6210-6210L-6300-6310-6310L
6400-6405-6410-6410L-6500-6510L ALL APL2025
2035 & AS2025/2035) - (7210-7410 ALL W/ ZF Front
Axle/SN 052869> / Except Hi-Crop)

A - 10.000"
B - M24 x 1.5
RH thread




W-AL116741
Tie Rod,
Long Tube (RH)

W-AL110886
W-AL168709
W-AL80535

(6310S-6320L-6410S-6420L-6506-6510-6510S
6520L-6600-6605-6610-7220-7320 ALL MFWD)
(6120-6120L-6220-6220L ALL AS2025) - (6320-6403
6420-6603 ALL AS2035) - (6615-6715 ALL AS2045)
6010 APL2025/AS2025 - (6215-6415 ALL AS2025/
AS2035) - (6300L-6400L-6500L ALL APL2035/
AS2035) - (6800-6810 ALL APL2045/AS2045)
(6110-6110L-6210-6210L-6300-6310-6310L
6400-6405-6410-6410L-6500-6510L ALL APL2025
2035 & AS2025/2035) - (7210-7410 ALL W/ ZF Front
Axle/SN 052869> / Except Hi-Crop)

A - 10.000"
B - M24 x 1.5
RH thread




W-AL168711
Ball Joint

W-AL80542
W-AL151996

(6310S-6320L-6410S-6420L-6506-6510-6510S
6520L-6600-6605-6610-7220-7320 ALL MFWD)
(6120-6120L-6220-6220L ALL AS2025)
(6320-6403-6420-6603 ALL AS2035)
(6615-6715 ALL AS2045) - 6010 APL2025/AS2025
(6215-6415 ALL AS2025/AS2035)
(6300L-6400L-6500L ALL APL2035/AS2035)
(6800-6810 ALL APL2045/AS2045)
(6110-6110L-6210-6210L-6300-6310-6310L-6400
6405-6410-6410L-6500-6510L ALL APL2025/AS2035
& AS2025/2035) - (7210-7410 ALL W/ ZF Front Axle /
SN 052869> / Except Hi-Crop)

A - 8.20"
B - M22 x 1.5 RH thread
C - M24 x 1.5 RH thread



W-AL110918
Ball Joint

-


7505-(6900-7405-7500 ALL APL2060)
(6910-6910S ALL APL2060/AS2060)
(6920-6920S ALL AS2060 / Early Model)
(7420-7520 ALL AS2060) - 7510 W/ ZF Front Axle /
Tractor SN 053665> / Except Hi-Crop

A - 9.113"
B - M25 x 1.5 RH thread
C - M28 x 1.5 RH thread




Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-AL119215 Complete Tie Rod Assembly	W-AL110928	7505-(6910-6910S ALL APL2060/AS2060) (6920-6920S ALL AS2060 / Early Model) (6900-7405-7500 ALL APL2060) 7510 W/ ZF Front Axle / Tractor SN 053665> / Except Hi-Crop (7420-7520 ALL AS2060)	-
W-AL119379 Tie Rod, Long Tube	W-AL110923 W-AL116259	7505-(6910-6910S ALL APL2060/AS2060) (6910-6910S ALL APL2060/AS2060) (6920-6920S ALL AS2060 / Early Model) (6900-7405-7500 ALL APL2060) 7420 AS2060-7510 W/ZF Front Axle / SN 053665> / Except Hi-Crop - 7520 AS2060 7510 W/ ZF Front Axle / Tractor SN 053665> / Except Hi-Crop (7420-7520 ALL AS2060)	A - 9.375" B - M28 x 1.5 RH thread
W-RE66620 Complete Tie Rod Assembly	-	7200-7210-7400-7410-7510-7600-7610 7700-7710-7800-7810 ALL W/ MFWD	A - 50.12"
W-AL32866 Cylinder End; Hydrostatic Steering	-	1641-2940 - (1640-1840-2040-2040S-2140-3040 3140 ALL European) (2040-2040S-2140-3140 ALL Spain) (INDUSTRIAL/CONSTRUCTION: 210C SN < 737499 310C SN < 787487) - (315C-315CH ALL SN < 737487) 410B-410C SN < 749405 - 415B-482C SN < 747986 510B-510C SN < 749405 515B-610B-610C SN < 749405)	A - 3.00" B - M24 x 1.5 RH thread
Combine John Deere			
W-AH89498 Head Razor Steel Forged	-	6200-7200	-
W-DQ33029 Head Razor Steel Forged	-	6200-7200 (New)	-
W-DQ74592 Head Razor Steel Forged	-	6200-7200 (New 2014)	-











JOHN DEERE



FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND

FORD NEW HOLLAND











Code / Name	Replaces	For Models	Dim / Info
W-D4NN3105A Spindle (RH)	-	4600 1/1975> 4610 1/1981-2/1990	A - 12.250" B - 1.464" C - 1.375" D - 0.750"
W-D4NN3106A Spindle (LH)	-	4600 1/1975> 4610 1/1981-2/1990	A - 12.250" B - 1.464" C - 1.375" D - 0.750"
W-C5NN3105M Spindle (RH)	-	5000-7000 ALL 65-75 NOT FOR USE W/ 10.00x16 TIRES) - (7600-7610-7700 ALL 76) (5600-6600 ALL 76-81) - (5610-6610 ALL 81)	A - 10.625" B - 1.498" C - 1.748" D - 1.625" E - 0.843"
W-C5NN3106J Spindle (LH)	-	5000-7000 ALL 65-75 NOT FOR USE W/ 10.00x16 TIRES) - (7600-7610-7700 ALL 76) (5600-6600 ALL 76-81) - (5610-6610 ALL 81)	A - 10.625" B - 1.498" C - 1.748" D - 1.625" E - 0.843"
W-C5NN3105N Spindle, High Clearance (RH)	-	5200-7200 - (5100-5340-7100 ALL Power Steering High Clearance 01/01/1968->) (5600-6600-6600C-7600-7600C ALL Power Steering High Clearance 01/01/1975 - 10/31/1977) - 7000 10/01/1971-12/31/1974	A - 16.00" B - 1.750" C - 1.625" D - 0.843"
W-C5NN3106K Spindle, High Clearance (LH)	-	5200-7200 - (5100-5340-7100 ALL Power Steering High Clearance 01/01/1968->) (5600-6600-6600C-7600-7600C ALL Power Steering High Clearance 01/01/1975 - 10/31/1977) - 7000 10/01/1971-12/31/1974	A - 16.00" B - 1.750" C - 1.625" D - 0.843"
W-D6NN3105A Spindle (RH)	-	5110 Power Steering High Clearance - 5600 Power Steering High Clearance 11/01/1977-> (5610-5900-6410 ALL Power Steering High Clearance) - (6600-6600C ALL Power Steering High Clearance 11/01/1977->) (6610-6810 ALL Power Steering High Clearance) - (7600-7600C ALL Power Steering High Clearance 11/01/1977->) 7610 Power Steering High Clearance Spindles are heat treated.	A - 16.000" B - 1.498" C - 1.638" D - 1.748" E - 1.625" F - 0.842"
W-D6NN3106A Spindle (LH)	-	5110 Power Steering High Clearance - 5600 Power Steering High Clearance 11/01/1977-> (5610-5900-6410 ALL Power Steering High Clearance) - (6600-6600C ALL Power Steering High Clearance 11/01/1977->) (6610-6810 ALL Power Steering High Clearance) - (7600-7600C ALL Power Steering High Clearance 11/01/1977->) 7610 Power Steering High Clearance	A - 16.000" B - 1.498" C - 1.638" D - 1.748" E - 1.625" F - 0.842"









Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-NAA33271A Tie Rod	-	NAA (JUBILEE)-NAB-(2N-8N-9N ALL 1/39-12/52) - 600 SERIES - 800 SERIES 2000 4 Cyl., 1/62-12/64 2031-2120 1/63-12/64 2131 - 4000 1/62-12/64 4031-4120-4131 Manual Steering	A - 4.250" B - .687" 18 RH thread
W-E1ADDN3304B Complete Tie Rod Assembly	W-81717426	MAJOR - SUPER MAJOR	A - 45.25" B - 1.187"
W-309523 Tie Rod	-	600 SERIES - 800 SERIES ALL SN < 78836 Power Steering	A - 3.250" B - .750" 16 LH thread
W-309591 Tie Rod	-	600 SERIES - 800 SERIES ALL SN < 78836 Power Steering	A - 4.000" B - .813" 16 LH thread
W-C5NN3A300B Tie Rod	W-81802873	(230A-231-234-334-530A-531-2600-2610 2810-2910-3600-3610-3900-3910-3910V 4100-4110-4110V-4610SU-4610V ALL W/ PS W/O Cab) - 2000 3 Cyl. W/PS - (2100-2110-2150 3000-3100-3150-4000-4000SU (4140)-4110 ALL W/PS) - 4600SU W/PS W/O Cab 1/1/1975>	A - 3.312" B - .750" 16 LH thread
W-E1NN3307AA Tie Rod, Long Tube	W-83932651	(4610-4630-4830-5030 ALL W/PS) (5600-6600-7600 ALL HI-CLEARANCE)	A - 41.190" B - 1.125"
W-C5NN3A300C Tie Rod	-	335-532-3000-3400-4000-4410	A - 4.00" B - 13/16 16 LH thread
W-C7NN3290A Tie Rod	-	3000-4000 1965> (INDUSTRIAL/CONSTRUCTION: 420-535-750-755-755A-755B-3500-3550 4500-5500-5550-6500-7500)	A - 4.875" B - 1 1/8 12 UNF LH thread
W-D4NN3289D Tie Rod, Inner	-	(233-333-2600-3600-4100 ALL W/ CAB 4/76>) (234-334-335-2310-2610-2810 2910-3610-3910-4110 ALL W/CAB 1/81 - 9/84)	A - 4.340" B - .750" 16 UNF RH thread









FORD NEW HOLLAND

Code / Name	Replaces	For Models	Dim / Info
 W-957E3290B Tie Rod	W-81802867 W-1802867	(3910-4110 ALL LESS CAB W/ MANL STRAIGHT) (4600SU-4610SU ALL W/ MANL STRAIGHT) SUPER DEXTA 57/64 (2000-3000 ALL 65/75) - (2600-3600-4100 ALL 75/81 LESS CAB W/ MANL STRAIGHT) (2610-3610 ALL 81/ 9/84 LESS CAB W/ MANL STRAIGHT)	A - 4.000" B - 0.687" 18 LH
 W-957E3307B Tie Rod	W-81717427	(3910-4110 ALL LESS CAB W/ MANL STRAIGHT) (4600SU-4610SU ALL W/ MANL STRAIGHT) SUPER DEXTA 57/64 (2000-3000 ALL 65/75) - (2600-3600-4100 ALL 75/81 LESS CAB W/ MANL STRAIGHT) (2610-3610 ALL 81/ 9/84 LESS CAB W/ MANL STRAIGHT)	A - 4.500" B - 0.687" 18 RH
 W-D4NN3278A Tie Rod, Long Tube (LH)	W-83902604	2310-(3100-3910-4110-4600-4610 ALL W/ CAB) - (2600-3600-4100 ALL 65/81 W/CAB) (2610-3610 ALL 81 - 9/84 W/CAB)	A - 14.000" B - 0.750"
 W-E1NN3304BA Complete Tie Rod Assembly	W-83931693	234-334-335-2310-2610-2810 2910-3610-3910-4110 ALL W/CAB 1/81 - 9/84	A - 36.500" B - 1.100"
 W-CAR98854 Tie Rod	-	(2810-2910-3910-4110-4610 ALL 9/1984 - 2/1990) - 4600	A - 4.00" B - M22 x 1.5 RH thread
 W-CAR98855 Tie Rod	-	(2810-2910-3910-4110-4610 ALL 9/1984 - 2/1990) - 4600 Used With MFWD Axle	A - 3.750" B - M22 x 1.5 LH thread
 W-D4NN3304A Complete Tie Rod Assembly	-	233-333-2600-3600-4110 ALL W/CAB 4/76>	A - 36.500" B - 1.100"
 W-CAR107633 Tie Rod	-	2600-2610-2810-2910-3600-3610-3910 3930-4100-4610-4630-4830-5030 ALL PURPOSE W/CAB For Models W/ FWD.	A - 4.00" B - M20 x 1.5 RH thread
 W-5166077 Tie Rod, Long	-	TL65-TL70-TL80-TL90-TL100 ALL BRAZIL (TN55-TN55D-TN65-TN65D-TN70-TN70D-TN75 TN75D ALL LOW PROFILE) - 3430-3930-3930H 3930N-3930NO-4130-4130N-4130NO-4630 4630N-4630NO-46300-4830-4830N-48300 4835-5030-50300-5635-6635-7635	A - 29.06" B - 0.788"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-C7NN3289B Tie Rod	W-C7NN3289A W-C5NN3289A W-81817084	3000-4000 ALL 1/65 INDUSTRIAL/CONSTRUCTION: 3500-3550-4500 ALL 1/65>] (5500-5550 ALL 1/67) - 6500 1/73-12/77 (750-755-755A-755B-7500 ALL 1/73>] (420 1/75>) - (535 1/75-9/78)	A - 4.812" B - 1.125" 12 RH thread
W-81878543 Tie Rod, Long Tube	W-81875595 W-CAR48998	3230-3430-3930-4130-4630-4830-5030 ALL 4 WD W/ CAR707 AXLE	A - 6.750" B - 1.100"
W-81878537 Tie Rod, Long Tube	W-81875596 W-CAR48997	3230-3430-3930-4130-4630-4830-5030 ALL 4 WD W/ CAR707 AXLE	A - 6.625" B - M18 x 1.5 LH thread
W-E1NN3A300AA Tie Rod, Long	W-83932649	4100-4600-4610	A - 8.750" B - 0.859"
W-C5NN3307M Tie Rod, Long Tube	-	4100-4200	A - 40.125"
W-E3NN3307AA Tie Rod	W-C5NN3307F	TW20-4400-4410-5100-5200-5600-5610 6000-6600-6610-7100-7200-7600-7610 8000-8700-9000-9700 FOR WIDE ADJ AXLE (5000-7000 ALL W/PS) - (8200-8600-9200 9600 ALL 68-76 FOR WIDE ADJ AXLE) INDUSTRIAL/CONSTRUCTION: 8400 68/76 FOR WIDE ADJ AXLE	A - 3.812" B - 1.000" 16 RH thread
W-DONN3A300A Tie Rod, Long	W-C5NN3A300A W-1825595 W-81825595 W-83980679	4000 65-75 4100-4600 75-81 4610	A - 9.000" B - .865"
W-C7NN3307A Tie Rod, Long Tube	W-81821968	4000 4/70-75 W/MANL STRAIGHT 4100-4600 8/70-12/71 W/PS, 4100-4600 75-81 W/MANL STRAIGHT 4610 81 MANL STRAIGHT	A - 40.000" B - .875"
W-DONN3307A Tie Rod, Long Tube	W-81825596	2000-3000 ALL 72 - 4000 8/70-74 4100-4600 72 - 4610	41.500" Long 0.885" ID
W-E3NN3304BA Complete Tie Rod Assembly	-	4610 4 Cyl. L/ FWD	A - 45.00" B - 1.10"




FORD NEW HOLLAND

FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND

FORD NEW HOLLAND




W-E5NN3A300AA
Tie Rod, Long

-

4610N L/ FWD

A - 6.750"
B - 0.865"




W-C5NN3289C
Tie Rod, Inner (RH)

W-81815989
W-1815989

(3430-4130 ALL MANL STRAIGHT)
4000 ALL PURPOSE
(4100-4600-4610 ALL MANL / PS)

A - 3.750"
B - 0.750"
16 thread




W-C5NN3278A
Tie Rod, Long (LH)

W-1802849
W-81802849

4000 65-67
4600 75-81
4600 81

A - 19.000"
B - 0.750"



W-E0NN3304AB
Complete Tie Rod
Assembly

-

4610N W/ Power Steering

A - 42.63"
B - 1.180"



W-C5NN3304U
Complete Tie Rod
Assembly

-

5000-5100-5340-7000-7100

A - 51.250"
B - 1.250"



W-E0NN3304CA
Complete Tie Rod
Assembly

W-C7NN3304B
W-E0NN3308CA
W-81822052
W-83925158

5100-5900-7100
(5610-6610-7610 ALL 9/70)
(5000-7000 ALL 9/70-75)
(5600-6600-7600 ALL 75-81)

A - 50.500"




W-C7NN3304C
Complete Tie Rod
Assembly

W-C5NN3304T
W-C5NN3304C
W-81825396
W-81816032

(5100-6410-7100 ALL W/ MANL STRAIGHT)
(5000-7000 ALL 65-75 REPL THREAD
STYLE LINK USED 65-12/67)
(5600-6600-7600 ALL 71-81 W/ MANL STRAIGHT)
(5610-6610 ALL 81 W/ MANL STRAIGHT)

47.500" Cntr Ball
Joint to End



W-C5NN3308C
Tie Rod

W-1817837
W-81817837

(5000-5600-5610-6600-6610-7000
ALL 65-12/67 W/ MANL STRAIGHT)

A - 3.750"
B - 1.000"
16 LH thread




W-C7NN3A300A
Tie Rod, Long

W-C5NN3A300D
W-81825395

(6410-7100 ALL W/ MANL STRAIGHT)
5000-5100-7000 ALL 68/75 ALSO 65-12/67 WHEN
REPL NON THREAD LINK W/MANL STRAIGHT)
(5600-6600-7600 ALL 75-81 W/MANL STRAIGHT)
(5610-6610 ALL 81 W/MANL STRAIGHT)

A - 7.875"
B - 0.935"



W-C5NN3307E
Tie Rod

-











5000-5100-7000 ALL 65-12/67
W/MANL STRAIGHT, FOR ORIGINAL STYLE

A - 5.031"
B - 1.000"
16 RH thread

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-C7NN3307B Tie Rod, Long Tube	W-C5NN3307N W-81825397	(5100-6410-7100-7610 ALL W/MANL STRAIGHT) (5000-7000 ALL 68-75 ALSO 65-12/67 WHEN REPL NON THREAD LINK W/MANL STRAIGHT)-(5600-6600-7600 ALL 75-81 W/MANL STRAIGHT)-(5610-6610 ALL 81 W/MANL STRAIGHT)	A - 47.500"
W-C5NN3281C Tie Rod, Long (LH)	W-81802856	(5600-5610-6600-6610 ALL 65-5/67 W/ MANL STRAIGHT) (5000-7000 ALL 65-67 W/MANL STRAIGHT)	A - 17.500" B - 0.940"
W-C7NN3280F Tie Rod, Long (LH)	W-C5NN3280N W-81825393 W-1825393	(5100-6410-7100 ALL W/ MANL STRAIGHT) (5600-5610-6600-6610-7600 ALL 6/67 W/MANL STRAIGHT) (5000-7000 ALL 6/67-75 W/ MANL STRAIGHT)	A - 17.500" B - 0.940"
W-C5NN3280F Tie Rod, Long (RH)	-	5000-5600-5610-6600-6610-7000 ALL 65-5/67 W/MANL STRAIGHT	A - 17.500" B - 0.940"
W-C7NN3289E Tie Rod, Inner	W-C5NN3289D W-81816030 W-81825394 W-1825394	(5100-6410-(7100-7610 ALL W/MANL STRAIGHT) (5000-7000 ALL 6/67-75) (5600-6600-7600 ALL 75-81 W/ MANL STRAIGHT)-(5610-6610 ALL 81 W/ MANL STRAIGHT)	A - 4.250" B - 0.937" 16 Threads
W-E3NN3308BA Tie Rod	W-C5NN3308D	4100-5100-6000-6600-6610-7000 4400 1/65> (5000-7000 ALL 65-8/67)	A - 3.750" B - 1.000" 16 LH
W-D8NN3289BB Tie Rod	W-D8NN3289BA	340 - INDUSTRIAL/CONSTRUCTION: 540	A - 4.187" B - 1.000" 16 thread
W-81878555 Tie Rod, Long Tube (RH)	W-CAR49007	5110-5610-6410 UK ONLY 6610-6810-7010-7610-7710 FLAT DECK 7810-7910-8010	A - 8.625" B - M18 x 1.5 RH thread
W-81878554 Tie Rod, Long Tube (LH)	W-CAR49007	5110-5610-6410 UK ONLY 6610-6810-7010-7610-7710 FLAT DECK 7810-7910-8010	A - 8.625" B - M18 x 1.5 RH thread
W-CAR49001 Ball Joint (RH)	-	3230-3430-3930-4130-4630-4830-5030 5110-5610-6410 UK ONLY - 6610-6810-7010 7610-7710 FLAT DECK - 7810-7910-8010	A - 7.000" B - M20 x 1.5 RH thread C - M18 x 1.5 RH thread
W-CAR49006 Ball Joint (LH)	-	3230-3430-3930-4130-4630-4830-5030 5110-5610-6410 UK ONLY - 6610-6810-7010 7610-7710 FLAT DECK - 7810-7910-8010	A - 7.040" B - M20 x 1.5 RH thread C - M18 x 1.5 LH thread









FORD NEW HOLLAND

FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND








FORD NEW HOLLAND

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
 W-83984962 Tie Rod, Long Tube	-	5610-6610-6710-7610-7710 ALL 4 WD W/ APL325 AXLE 5110-5610-6610-7610 ALL 4 WD W/ APL335 AXLE	A - 13.500" B - M22 x 1.5 RH thread
 W-E1NN3A302AA Complete Tie Rod Assembly	W-83927737	5110-5610-6610-6810-7410-7610-7910 (6710-7710 ALL FLAT DECK) 5900 MEXICO 6410 UK ONLY	-
 W-ZP0501308461 Tie Rod, Long	-	5110-5610-6610-6810-7410-7610-7910 (6710-7710 ALL FLAT DECK) 5900 MEXICO 6410 UK ONLY	A - 17.000" B - M18 x 1.5 RH thread
 W-ZP0501205207 Complete Tie Rod Assembly (RH)	W-E1NN3A302AB W-E3NN3N971BA W-83959475 W-83984963 W-83956515	(6710-7710 ALL FLAT DECK 1/82-4/84) 5900 MEXICO 1/82-4/84 6410 UK ONLY 1/82-1/87 (5110-5610-6610 ALL 1/82-1/87) (6810-7410-7610 ALL 1/82-4/84)	-
 W-ZP0501205206 Complete Tie Rod Assembly (LH)	W-E1NN3A302AB W-E3NN3A302CA W-83956514	(6710-7710 ALL FLAT DECK 1/82-4/84) 5900 MEXICO 1/82-4/84 6410 UK ONLY 1/82-1/87 (5110-5610-6610 ALL 1/82-1/87) (6810-7410-7610 ALL 1/82-4/84)	-
 W-ZP0501206191 Tie Rod, Long Tube (RH)	W-ZP0501205469	(6710-7710 ALL FLAT DECK 1/82-4/84)-5900 MEXICO 1/82-4/84 - 7910 - 6410 UK ONLY 1/82-1/87 - (5110-5610-6610 ALL 1/82-1/87) (6810-7410-7610 ALL 1/82-4/84)	A - 13.375" B - M22 x 1.5 RH thread
 W-ZP0501206190 Tie Rod, Long Tube (LH)	W-ZP0501205468	(5110-5610-6610 ALL 1/82-1/87)-(6810-7410 7610 ALL 1/82-4/84) - 7910 - (6710-7710 ALL FLAT DECK 1/82-4/84) - 5900 MEXICO 1/82-4/4/84 - 6410 UK ONLY 1/82-1/87	A - 13.375" B - M22 x 1.5 RH thread
 W-ZP0501310060 Ball Joint	W-83957098	(6710-7710 ALL FLAT DECK 1/82-4/84) 5900 MEXICO 1/82-4/84 6410 UK ONLY 1/82-1/87 (5110-5610-6610 ALL 1/82-1/87) (5100-5600-6600-7100-7600 ALL W/ P.STRG) (6810-7410-7610 ALL 1/82-4/84)	A - 7.540" B - M20 x 1.5 RH thread C - M22 x 1.5 RH thread
 W-C7NN3281A Tie Rod, Long	W-C5NN3281B W-C5NN3281B W-81822050 W-1822050	TRACTOR: 5610 W/PS 81-3/85 (5000-5100 ALL W/PS 65>) 5600 W/PS 81-3/85 5900 W/PS 85> - 6600 W/PS 75> 6610 W/PS 81-3/85 (7000-7100 ALL W/PS 65>) 7600 W/PS 75> - 7610 W/PS 81-3/85	A - 15.375" B - 0.937"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-C7NN3280E Tie Rod, Long (RH)	W-C5NN3280E W-C5NN3208B W-C5NN3280C W-1802851 W-81802851 W-81822049 W-1822049 W-81859488	TRACTOR: 5610 W/PS 81-85 - 5900 W/PS 85> (6610-7610 ALL W/PS 81-85) (5000-5100-7000-7100 ALL W/PS 65>)	A - 15.375" B - 0.937"
W-C7NN3B161A Tie Rod, Long Tube (LH)	W-81822048 W-D6NN3B161A	(5600-6600-7600 ALL W/PS 75 / HI CLR 75-2/77) - (5610-6610 ALL W/PS 81-3/85) (5100-7100 ALL W/PS 9/70) (5900-7610 ALL 85)	A - 18.125" B - 0.952" ID
W-C7NN3289D Tie Rod	W-1822051 W-81817836 W-81822051	5900-7100 (5600-6600-7600 ALL 75-81) (5610-6610-7610 ALL 81-3/85) (5000-7000 ALL 9/70-75)	A - 3.750" B - 1.000"
W-C5NN3280R Tie Rod, Long	-	5200-6600-7200-7600 ALL W/ WIDE ADJUSTABLE FRONT AXLE	A - 19.625" B - 0.937"
W-C7NN3289C Tie Rod	W-81820108	(8000-9000-9700 ALL FOR PURPOSE AXLE) (5200-7200 ALL 67 W/ ALL PURPOSE AXLE W/PS) (8200-8600-8700-9200-9600 ALL 68-76 FOR ALL PURPOSE AXLE) INDUSTRIAL/CONSTRUCTION: 8400 68-76 FOR ALL PURPOSE AXLE Used w/ W-C7NN3280D Long Tie Rod	A - 7.375" B - 1.000" 16 RH thread
W-E3NN3B539AA Tie Rod, Inner	W-83948951	(5100-5600-5900-6410-6600-6810-7100 7600) - (5610-6710-7610-7810 ALL 85)	A - 3.625" B - 0.875" 14 I.D.
W-E3NN3278AB Tie Rod, Long	-	(5100-5600-5900-6410 6600-6810-7100-7600) 5610-6610-6710-7610-7810 ALL 81)	A - 17.750" B - 1.250"
W-E3NN3289AA Tie Rod, Inner	-	5100-5110-5600-5610-5900-6410 6600-6610-6810-7100-7600-7610	A - 5.000" B - 1.000" 16 UN 2A I.D. thread
W-E3NN3N981AA Tie Rod	-	5110-5610-5900-6410-6610-6810-7610	A - 2.875" B - 1.250" 12 RH
W-ZP1927851 Complete Tie Rod Assembly	W-81927851 W-81927505	5600-5700-6600-6700 ALL W/ APL1351 4WD Front Axle	-




FORD NEW HOLLAND

FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



W-D8NN3280GA
Tie Rod (RH)

-

(5610-5900-6610-66100-7610-76100
ALL L/FWD)
(5600-6600-6600C-66000-7600-7600C
ALL Hi-Clearance)

A - 12.562"
B - 0.937"




W-ZP0501308461
Tie Rod

-

5610-6610-6810-7410-7610-7910
(6710-7710 ALL FLAT DECK)
8210

A - 17.000"
B - M18 x 1.5
RH thread




W-ZP0501205072
Tie Rod, Inner

W-83956527

5610-6610-6710-7610-7710-7910-8210
ALL < 12/31/82 - 4 WD W/ APL325 AXLE

A - 2.750"
B - M18 x 1.5
RH thread




W-CAR49008
Ball Joint

-

(5640-6640-7740-7840 ALL 4WD
W/ CAR709S2 AXLE)
8210 - 4 WD W/ CAR709 AXLE
(8240-8340 ALL 4 WD W/ CAR709HD AXLE,
ALL 11/91-12/94)

A - 8.22" Long
B - M22 x 1.5 RH thread
C - M24 x 1.5 LH thread




W-9968018
Ball Joint

W-153326657
W-9968015

(5640-6640-7740-7840 ALL 4WD
W/ CAR709S2 AXLE)
8210 - 4 WD W/ CAR709 AXLE
(8240-8340 ALL 4 WD W/ CAR 709HD AXLE
11/91-12/94)

A - 8.210" Long
B - M22 x 1.5 RH thread
C - M24 x 1.5 LH thread




W-E7NN3278AA
Tie Rod, Long

-

3230-3430-3930-4130-4630-4830-5030

A - 17.812"
B - 0.935"




W-E7NN3289DA
Tie Rod, Inner

-

3230-3430-3930-4130-4630-4830-5030

A - 3.940"
B - 0.937"
15/16" - 16 UN RH thread




W-5166075
Complete Tie Rod
Assembly

-

3430-3930-3930H-3930N-3930NO-4130
4130N-4130NO-4630-4630N-4630NO-4630O
4830-4830N-4830O-5030-5030O

A - 37.250"
B - 1.10"




W-E7NN3B539AB
Tie Rod, Inner (RH)

-

3230-3430-3930-4630-4830-5030

A - 3.280"
B - 7/8
14 UNF RH thread




W-E7NN3N981AA
Tie Rod

-

3230-3430-3930-4630-4830-5030

A - 2.400"
B - 1.250"
12 UNF RH thread



W-81864114
Tie Rod, Inner






-

TS90-TS100-TS110-5640-6640-7740-7840

A - 3.625"
B - 0.875"
14 RH thread

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-87395648 Tie Rod	W-87542553	T4020-T4030-T4030F-T4040-T4040F-T4050 T4050F-T6010-T6020-T6030-T6050-T6060 T6070-T6080-TD5030-TD5050-TD75D-TD80D TD90D-TD95D-TM115-TM120-TM125-TM130 TM135-TM140-TM150-TM155-TM165-TN55S TN60SA-TN65F-TN65S-TN70F-TN70S-TN70SA TN75F-TN75FA-TN75S-TN75SA-TN80F-TN85FA TN90F-TN95F-TN95FA-TS100A-TS110A-TS115A TS125A-TS130A-TS135A-5530-6530-7530 SN <03104 - 8160-8240-8260-8340-8360-8560	A - 4.00" B - M24 x 1.5 RH thread
W-CAR121924 Complete Tie Rod Assembly (RH)	W-81863221	5640-6640-7740-7840-8240-8340	A - 9.500" B - M24 x 1.5 LH thread
W-CAR121925 Complete Tie Rod Assembly (LH)	W-81863218	5640-6640-7740-7840-8240-8340	A - 9.500" B - M24 x 1.5 LH thread
W-CAR48979 Tie Rod, Long Tube (LH)	W-CAR49019	5640-6640-7740-7840-8240-8340	A - 9.500" B - M24 x 1.5 RH thread
W-CAR48978 Tie Rod, Long Tube	W-CAR49021 W-81863221 W-81863335	5640-6640-7740-7840-8240-8340	A - 9.500" B - M24 x 1.5 RH thread
W-5168933 Complete Tie Rod Assembly	-	TL70-TL80-TL90-TL100-TS90-TS100-TS110-TS115 5640-6635-6640-7635-7740-7840	A - 54.500" B - 1.187" C - 1.440"
W-5109553 Tie Rod	W-312901916 W-312906276 W-312900313 W-72093231	3430-3830-3930-4030-4130-4230-4430-4630 4830-4835-5030-5635-5640-6635-6640-7635 7740-7840 - (INDUSTRIAL/CONSTRUCTION: 450-540-750 ALL 2WD) - (T4020-T4030-T4030F T4040-T4040F-T4050F-TN60A-TN60DA-TN65F TN70-TN70A-TN70F-TN75A-TN75DA-TN75F TN75FA-TN80F-TN85A-TN85DA-TN85FA TN90F-TN95F-TN95FA ALL 2WD) - (TD5010 TD5020-TD5030-TD5050-TD60D-TD70D-TD75D TL100-TL100A-TL70-TL80-TL80A-TL90-TL90A TS90-TS100-TS110-TS115-TT55-TT60A-TT65 TT75-TT75A ALL MFWD) - (TN55-TN55D-TN65 TN65D-TN70D-TN70DA-TN75-TN75D ALL 2WD & MFWD) - 800 SERIES 2WD	A - 3.156" B - M20 x 1.0" RH thread
W-81864115 Tie Rod	W-82857367 Gold Value# W-87713006	TS90-TS100-TS110-5640-6640-7740-7840	A - 2.875" B - 1.250" 12 RH thread








FORD NEW HOLLAND

FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND

FORD NEW HOLLAND



Code / Name Replaces For Models Dim / Info

W-81864106
Tie Rod, Long

TS90-TS100-TS110-5640
6640-7740-7840

A - 1.375"
B - 19.875"

W-81864100
Tie Rod, Inner

TS90-TS100-TS110
5640-6640-7740-7840

A - 5.00"
B - 1.125
16 RH thread

W-D8NN3B539AB
Tie Rod, Inner

W-D5NN3B539C
W-D8NN3B539AA
W-83904282
W-83927291
W-83934991
W-83959499

TW10-TW20-TW30-5700-6700
6710-7700-7710-8000-8700-9700

A - 3.687"
B - 0.875"
18 I.D. thread

W-D8NN3A302AA
End, Power Steering

W-D5NN3A302C
W-D5NN3A302D
W-83906190
W-83913086

TW5-TW15-TW25-TW30-900 SERIES
5700-6700-6710-7700-7710
8000-8700-9000-9700

A - 3.750"
B - 1.000"
16 RH

W-ZP0501205349
Complete Tie Rod
Assembly (RH)

W-83945660

TW5-TW15-TW25-6710
7610-7710-7910-8210

-

W-ZP0501205350
Complete Tie Rod
Assembly (LH)

W-83945661

TW5-TW15-TW25-6710
7610-7710-7910-8210

-

W-ZP0501205464
Complete Tie Rod
Assembly (RH)

W-83959471

TW5-TW15-TW25-6710
7610-7710-7910-8210

A - 12.625"
B - M18 x 1.5
RH thread

W-ZP0501205463
Tie Rod, Long Tube (LH)

-

TW5-TW15-TW25-6710
7610-7710-7910-8210

A - 12.625"
B - M18 x 1.5
RH thread

W-ZP0750125014
Ball Joint

-

TW5-TW15-TW25-6710
7610-7710-7910-8210

A - 7.030"
B - M20 x 1.5 RH thread
C - M18 x 1.5 RH thread

W-E6NN3B539AA
Tie Rod, Inner

-

TW5-TW15-TW25-TW35
7700-7710-7910-8210

A - 3.750"
B - 0.875
18 - I.D. thread

W-ZP0750137056
Complete Tie Rod
Assembly (LH)

W-E2NN3N971AA









TW5-TW15-TW25-7910-8210
ALL 1/83-12/84

-

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-ZP0750137057 Complete Tie Rod Assembly (RH)	W-E2NN3A302BA	TW5-TW15-TW25-7910-8210 ALL 1/83-12/84	-
W-ZP0750125010 Ball Joint	W-ZP0501205167	TW5-TW15-TW25-7910-8210 ALL 1/83-12/84 8530-8630	A - 8.160" B - M22 x 1.5 RH thread C - M24 x 1.5 RH thread
W-C7NN3280D Tie Rod, Long (9 notches on bottom)	-	(8000-9000-9700 ALL FOR ALL PURPOSE AXLE / WIDE ADJ AXLE) - (8200-8600-8700 9200-9600 ALL 68-76 FOR ALL PURPOSE AXLE / WIDE ADJ AXLE) - (INDUSTRIAL / CONSTRUCTION: 8400 68-76 FOR ALL PURPOSE AXLE / WIDE ADJ AXLE)	A - 19.625" B - 0.937"
W-D8NN3289DB Tie Rod, Short	-	TW10-TW20-TW30-8000-8700-9700	A - 4.937" B - 1.000" 16 RH thread
W-5168941 Complete Tie Rod Assembly	-	8160-8240-8260-8340 ALL 1/95>	-
W-CAR49012 Tie Rod (LH)	W-CAR48980	8210	A - 6.750" B - M24 x 1.5 LH thread
W-CAR49014 Tie Rod (RH)	W-CAR48981	8210	A - 6.750" B - M24 x 1.5 LH thread
W-CAR125215 Complete Tie Rod Assembly (RH)	-	8240-8340 ALL 11/91-12/94	-
W-5166131 Tie Rod, Long	-	T4030F-T4040F-T4050F-TN55-TN55D TN60DA-TN65-TN65D-TN65F-TN70D TN70DA-TN70F-TN75D-TN75DA-TN75F TN75FA-TN80F-TN85A-TN85DA-TN85FA TN90F-TN95F-TN95FA ALL 2WD	A - 21.00" B - 0.79"
W-81863802 Tie Rod, Inner	-	TS90-TS100-TS110-8240-8340	A - 4.75" B - 1.125 16 RH thread
W-81863813 Tie Rod, Inner	-	TS90-TS100-TS110-8240-8340	A - 3.750" Long B - 0.875" 14 UNF 2A RH thread








FORD NEW HOLLAND

FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND

FORD NEW HOLLAND



W-5109553



Code / Name	Replaces	For Models	Dim / Info
W-81878550 Tie Rod, Long Tube	W-CAR48984	TRACTOR: 8240-8340	A - 11.00" B - MRH thread
W-81878549 Tie Rod, Long Tube	-	TRACTOR: 8240-8340	A - 11.00" B - MRH thread
W-E9NN3N981BA Tie Rod	-	TS90-TS100-TS110-8240-8340	A - 3.250" B - 1.250" 12 RH thread
W-5178390 Tie Rod	-	TL70-TL80-TL90-TL100 4835-5635-6635-7635	A - 4.00" B - M24 x 1.5 RH thread
W-5178378 Tie Rod, Long	-	TL70-TL80-TL90-TL100 4835-5635-6635-7635	A - 35.375" B - 0.950
W-5178665 Complete Tie Rod Assembly	-	TL70-TL80-TL90-TL100 4835-5635-6635-7635 Consists of: W-5166077 long tie rod and W-5109953 short tie rod,	-
W-5165152 Complete Tie Rod Assembly	-	TL70-TL70A-TL80-TL80A-4835-5635 Consists of: W-5109553 tie rod end	A - 50.00" B - 1.180"
W-ZP0750137050 Complete Tie Rod Assembly (RH)	-	TW5-TW15-8530-8630	-
W-ZP0750137049 Complete Tie Rod Assembly (LH)	-	TW5-TW15-8530-8630	-
W-ZP0501205461 Tie Rod, Long Tube (LH)	-	TW5-TW15-8530-8630	A - 13.750" B - M24 x 1.5 RH thread
W-ZP0501205462 Tie Rod, Long Tube (RH)	-	TW5-TW15-8530-8630	A - 13.750" B - M24 x 1.5 RH thread







Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

30

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-ZP0501205309 Complete Tie Rod Assembly (LH)	W-83944527	TW25-TW35-8530-8630-8730-8830 ALL 1/84-3/92	-
W-ZP0501205395 Tie Rod, Long Tube (RH)	W-83959468	TW25-TW35-8530-8630-8730-8830 ALL 1/84-3/92	A - 12.250" B - M28 x 1.5 RH thread
W-ZP0501205396 Tie Rod, Long Tube (LH)	W-83959467	TW25-TW35-8530-8630-8730-8830 ALL 1/84-3/92	A - 12.250" B - M28 x 1.5 RH thread
W-ZP0501205310 Complete Tie Rod Assembly (RH)	W-83944528	TW25-TW35-8530-8630-8730-8830 ALL 1/84-3/92	-
W-ZP0501205394 Ball Joint	-	TW25-TW35-8530-8630-8730-8830 ALL 1/84-3/92	A - 9.000" B - M22 x 1.5 RH thread C - M28 x 1.5 RH thread
W-E1NN3280AA Tie Rod, Long (8 cross holes)	W-D5NN3280A	(TW10-TW20-TW30 ALL REG DUTY SHORT WHL BASE) - TW35 W/ SHORT - 5700-6700 7700 - (8700-9700 ALL 8/76-78)	A - 33.062" B - 1.187"
W-E2NN3280BA Tie Rod, Long (7 cross holes)	-	(TW5-TW15-TW25-TW35-8530-8630-8730 8830 ALL 8/1983> W/ HD WIDE ADJ AXLE	A - 29.500" B - 1.187"
W-E1NN3289AA Tie Rod, Short	W-D5NN3289A W-83906918 W-83929289	TW5-TW10-TW15-TW20-TW25-TW30-TW35 5700-6700-6710-7700-7710-7810-7910-8000 8210-8530-8630-8700-8730-8830-9000 9700 - (LOADER PUMP DRIVE: 302 (8/83 W/ HD WIDE ADJ AXLE))	A - 8.625" B - 1.000" 16 RH Thread
W-E2NN3280AA Tie Rod, Long (8 cross holes)	-	TW5-TW25-TW35 ALL 8/83 W/ HD WIDE ADJ AXLE	A - 33.500" B - 1.187"
W-D8NN3280FA Tie Rod, Long (7 cross holes)	-	TW10-TW30 ALL WIDE ADJ AXLE	A - 47.500" B - 1.187"



FORD NEW HOLLAND

FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-ZP0501303028
Tie Rod, Inner

W-81927245

(TW10-TW20 ALL 4 WD, ZF - APL3052)
(TW30-TW35 ALL 4 WD, ZF - APL3054)

A - 5.625"
B - M36 x 1.5
RH thread




W-5117314
Tie Rod

W-5102501
W-5116002
W-5117314

8160-8260-8360-8560
ALL 2 WD HYDROSTATIC SN < C3675
2WD Hydrostatic

A - 4.250"
B - M24 x 1.5
RH thread




W-5178344
Tie Rod, Long

-

TM115-TM120-TM125-TM130-TM135
TM140-TM150-TM155-TM165
8160-8260-8360-8560

A - 35.50"
B - 1.250"




W-5178338
Tie Rod

-

TM115-TM120-TM125-TM130-TM135
TM140-TM150-TM155-TM165
8160-8260-8360-8560

A - 4.625"
B - M32 x 1.5
RH thread




W-86018347
Tie Rod, Inner

-

8670-8770-8870-8970
ALL W/ FWD & Super Steer

A - 3.187"
B - 1.00
16 UN RH thread




W-86020750
Tie Rod (RH)

W-86508663

8670-8670A-8770-8770A-8870
8870A-8970-8970A ALL Super Steer

A - 7.250"
B - 1 1/4
12 UNF RH thread




W-86020751
Tie Rod (LH)

-

8670-8670A-8770-8770A-8870
8870A-8970-8970A ALL Super Steer

A - 7.250"
B - 1 1/4
12 UNF LH thread




W-86507389
Tie Rod (RH)

-

8670-8770-8870-8970
ALL W/ Standard Axle

A - 12.750"
B - 1.250"
12 UNF RH thread




W-86507390
Tie Rod (LH)

-

8670-8770-8870-8970
ALL W/ Standard Axle

A - 12.750"
B - 1.250"
12 UNF LH thread




W-86502997
Tie Rod, Inner

-

8670-8670A-8770-8770A
8870-8870A-8970-8970A

A - 4.125"
B - 1.125"
12 UNF RH thread



W-86502993
Tie Rod, Long

-

8670-8670A-8770-8770A
8870-8870A-8970-8970A










A - 15.250"
B - 1.180"
12 UNF RH thread

32









WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-86024884 Tie Rod (LH)	-	8670-8770-8870-8970 ALL W/ FWD Standard Steer Only	A - 12.750" B - 1.250" 12 UNF LH thread
W-86024885 Tie Rod (RH)	-	8670-8770-8870-8970 ALL W/ FWD Standard Steer Only	A - 12.750" B - 1.250" 12 UNF RH thread
W-86502995 Tie Rod, Inner	-	8670-8670A-8770-8770A-8870-8870A 8970-8970A ALL 2 WD	A - 1.250" B - 0.875" 14 UNF RH thread
W-CAR87031 Tie Rod	-	(250C-260C ALL W/ FWD) INDUSTRIAL/CONSTRUCTION: 345C-345D 445-445A-445C-445D-450-455-455C-455D 545-545A-545C-545D-550-555-555A-555B 555C-555D-575D-655-655A-655C-655D 675D ALL W/ FWD	A - 4.160" B - M24 x 1.5 mm thread
W-CAR88759 Tie Rod	W-CAR41447	(250C-260C ALL W/ FWD) INDUSTRIAL/CONSTRUCTION: 345C-345D 445-445A-445C-445D-450-455-455C-455D 545-545A-545C-545D-550-555-555A-555B 555C-555D-575D-655-655A-655C-655D 675D ALL W/ FWD	A - 4.160" B - M24 x 1.5 LH mm thread
W-E6NN3280AA Complete Tie Rod Assembly	-	(INDUSTRIAL/CONSTRUCTION: 550-555 555A-555B-655-655A ALL 1/75-10/88) (455 7/87>)	A - 54.060" B - 1.440"
W-E6NN3290AA Tie Rod (LH)	-	INDUSTRIAL/CONSTRUCTION: 455 7/87> (550-555-555A-555B-655-655A ALL 4/87-10/88 & 1/75-10/88) (455 7/87>)	A - 4.250" B - 1.000" 16 UN 2A LH thread
W-E6NN3289AA Tie Rod (RH)	-	(INDUSTRIAL/CONSTRUCTION: (550-555 555A-555B-655-655A ALL 1/75-10/88) (455 7/87>)	A - 4.250" B - 1.000" 16 UN RH thread
W-E7NN3N981BB Tie Rod, Inner	W-E7NN3N981BA W-81863575	(INDUSTRIAL/CONSTRUCTION: (555-555B 655-655A ALL 1/88-10/88) - (455C-455D 555C-555D-575D-655C-655D-675D ALL 11/88>)	A - 2.875" B - 1.100" O.D.







FORD NEW HOLLAND

Code / Name	Replaces	For Models	Dim / Info
 W-83961705 Complete Tie Rod Assembly	-	(INDUSTRIAL/CONSTRUCTION: 555C-555D 575D-655C-655D-675D)-(555E-575E-655E 675E ALL SN <31008658))	-
 W-85805977 Tie Rod, Long Tube	-	(INDUSTRIAL/CONSTRUCTION: LB75-LB90 LB110 - (555F-575F-655E-675E ALL SN 31008659>))	A - 12.375" B - M18 x 1.5 RH thread
 W-85805975 Ball Joint	-	(INDUSTRIAL/CONSTRUCTION: LB75-LB90 LB110 - (555F-575F-655E-675E ALL SN 31008659>))	A - 7.00" B - M20 x 1.5 RH thread C - M18 x 1.5 RH thread
 W-85807975 Ball Joint	-	INDUSTRIAL/CONSTRUCTION: B115-LB115-LB115B	A - 8.210" B - M24 x 1.5 RH thread C - M22 x 1.5 RH thread
 W-E6NN3A303AA Tie Rod	-	(INDUSTRIAL/CONSTRUCTION: (455-555-555A-555B-655-655A ALL 7/87-11/88) - (755-755B ALL 7/87>))	A - 2.120" B - 0.687" 18 RH thread
 W-D9NN3A303AB Cylinder End, Power Steering (Male Thread)	W-83901714 W-83918928 W-83936901 W-83958352 W-C5NN3A303A W-D9NN3A303AA W-E3NN3A303AA	(INDUSTRIAL/CONSTRUCTION: 550-555 555A-555B-655-655A) 4000-4200-3910V-4110V-4610V	A - 2.000" B - 0.687" 18 RH thread
 W-C5NN3A302B Tie Rod, Inner	W-81802877	230A AGR - 231-234-335-531 IND 2000-3000-3600-4600 AG Ball Joint end includes: boot, clamp, nut & zerc.	A - 1.875" B - 0.437" 20 F. thread
 W-CAPN3300A Tie Rod, Inner	-	(335-532-3400 ALL AND OTHER LATER SERIES W/ DUAL DRAG LINK STEERING) 4410 IND, AND OTHER LATER SERIES W/ DUAL DRAG LINK STEERING	A - 1.875" B - 0.500" 20 F. thread
 W-E2NN3A540BJ Male Ball Joint	-	230A-231-234-335-531-532 600 SERIES - 800 SERIES 2000-3000-3400-3600-4410-4600 Uses cylinders W-E2NN3A540BA, W-D4NN3A540A & W-C5NN3A739G. Not used on OEM cylinders.	A - 2.125" B - 0.687" 18 thread

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-D9NN3A302AB Tie Rod, Inner (Front)	W-D9NN3A302AA W-E3NN3A302AA W-C5NN3A302D W-83958351 W-83936699 W-83918929 W-83901713	3910V-4110V-4610V (INDUSTRIAL/CONSTRUCTION: 550-555-555A-555B-650-6500 655-655A-750-7500-755A-755B)	A - 2.370" B - 1.000" C - 0.687" 18 RH thread
W-ZP4472351239 King Pin, Hub	W-E1NN3B626AA W-83927640 W-83946561	5110-5610-5900-6410 (UK) 6610-66100-6710-6810-7410 7610-76100-7710-7910-8210	-
W-9966308 Plate, Thrust; MFWD	W-83930407 W-1966154C1 W-K261860 W-K261861 W-83930386 W-83930407 W-6914431 W-CAR110642 W-CAR110823 W-137700420823	TB80-TB85-TB90-TB100-TB110-TB120-TD60D TD70D-TD75D-TD80D-TD90D-TD95D-TD5030 TD5050-TL80-TL80A-TL90-TL90A-TL100-TL100A TN55-TN60A-TN65-TN70-TN70D-TN75-TN85A TN95A-TS90-TS100-TS110-TS115A-TS130A TT60A-TT75A-T4020-T4030-T4040-T4050 T5040-T5050-T5060-T5070-T6010-T6020 T6030-T6040-T6050-T6060-T6070-2600 2610-2810-2910-3230-3430-3600-3610-3910 3930-4030-4100-4110-4130-4230-4430-4610 4630-4830-5030-5110-5610-5640-6410-6610S 6640-6810S-7610S-7710-7740-7810-7840-7910 8010-8240-8340-(INDUSTRIAL/CONSTRUCTION: B115-LB115-W50TC-W80TC)	O.D.: 2.831" Thickness: 0.118" Internal Teeth: 22
W-ZP1927573 Shaft, Axle MFWD (APL 1351 MFWD Axle)	-	5600-5700-6600-6600C-66000-6700	-
W-81927571 Axle Shaft - ZF Axle	-	5600-5700-6600-6700 ALL W/ 4WD - APL1351	9.41" Long 21 Teeth
W-9968023 Kingpin; MFWD Upper	W-CAR128880 W-47108555 W-352349M1 W-122260A1	(TB80-TB85-TB90-TB100-TB110-TB120-5610S 6610S-6810S-7610S ALL Axle Ref# 149749) (5640-6640-66400-7740-77400-7840-78400 8240-8340 ALL W/ New Style King Pin That Uses Belleville Style Washers) - (INDUSTRIAL/ CONSTRUCTION: B110-B110B TIER III - B95-B95LR B95TC-LB110-LB110B-LB75-LB75B-LB90-LB90B LV80-U80-U80B TIER III - (345C-345D-445C-445D 545C-545D-555C-555D-575D-655C-655D-675D ALL 9/01/1992>) - 555E-575E-655E-675E)	-



FORD NEW HOLLAND

FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-9968025
Kingpin; MFWD Lower

W-82850292
W-CAR128881
W-47108554
W-6190566M1
W-3523550M1
W-122259A1

(TB80-TB85-TB90-TB100-TB110-TB120-5610S
6610S-6810S-7610S ALL Axle Ref# 149749)
(5640-6640-66400-7740-77400-7840-78400
8240-8340 ALL W/ New Style King Pin That Uses
Belleville Style Washers) - (INDUSTRIAL/
CONSTRUCTION: B95-B95LR-B95TC-B110-B110B
TIER III - LB75-LB75B-LB90-LB90B-LB110-LB110B
LV80-U80-U80B TIER III - (345C-345D-445C-445D
545C-545D-555C-555D ALL 9/01/1992>) - 555E
575D 9/01/1992> - 575E - (655C-655D ALL
9/01/1992>) - 655E-675D 9/01/1992> - 675E)

-




W-81863173
Kingpin; MFWD Upper

W-1995414C1
W-CAR125149
W-B503049

5640-6640-66400-7740-77400
7840-78400-8240-8340

-



W-N13504
Kingpin; MFWD Lower

W-83952503
W-CAR118526
W-3475348M1
W-153326212
W-137700410835

250C-260C-5640-6640-66400-7740-77400-7840
78400-8240-8340 - (345C-345D ALL 12/01/1988
Thru 8/30/1992) - 445-445A - (445C-445D ALL
12/01/1988 Thru 8/30/1992) - 450-455C-455D
545-545A - (545C-545D ALL 12/01/1988 Thru
8/30/1992) - 555B-555C-555D-575D-655-655A
655C-655D-675D

-



W-81874743
Shaft, Half; MFWD
Differential Side

W-CAR40887
W-1-33-742-684

5640-6640-66400-7740
77400-7840-78400

Spline: 22
O.D.: 1.571"
Overall Length:
28.268"




W-86505030
Kingpin, Large Cap

W-1277406C2
W-1277406C1

8670-8770-8870-8970

-




W-5194198
Universal Joint

W-100546A1
W-1537634C1
W-324210A1
W-CAR40872

3230-3430-3930-4130-4630-4830-5030
TN60VA-TN65V-TN70VA-TN75V-TN75VA
TN95VA ALL W/ MFWD

23.8mm x 62.5mm
0.937" x 2.461"



W-9962244
Universal Joint

W-9959678

3830-5530-6530-7530-TD75D-TD95D
ALL MFWD







27mm x 82.30mm

36

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.






Code / Name	Replaces	For Models	Dim / Info
W-7533624 Universal Joint	W-9956514 W-9959898 W-9926504 W-9756514 W-9921225	4030-4230-4430-TT55-TT65-TT75	27mm x 75mm
W-83956476 Universal Joint	W-ZP0501205345	5110-5610-6410-6610-6810-7610 ALL W/ APL335 MFWD Axle	-
W-83958381 Universal Joint	W-ZP7029457405 W-83956474	6710 W/ APL345/350 MFWD Axle 4/1984-2/1987 7610 W/ APL345/350 MFWD Axle 4/1985-4/1987 7710 W/ APL345/350 MFWD Axle 4/1984-2/1987 (7910-8210-TW5-TW15-TW25 ALL W/ MFWD)	32mm x 86.15mm
W-83930383 Universal Joint	W-CAR107625	4610 W/ Carraro AE1-121-149-159-169 or AE2-169 4WD Front Axle - (5110-5610-6410 6610-6810 ALL W/ Carraro CAR709 4WD Front Axle) - (260C-7610-7710-2610-2810 2910-3610-3910-4110-250C ALL MFWD) INDUSTRIAL/CONSTRUCTION: (445D-455C 455D-655C-675D-345C-345D-445-445A 445C-450-545-545A-545C-545D-555B 555C-555D-575D-655-655A-655D ALL MFWD)	27mm x 75mm 1.063" x 2.953"
W-E3NN4635AA Universal Joint	W-ZP1927603 W-ZP1927831 W-83934998 W-81927603 W-81927831	5110-5600-5610-5700-6600-6600C 66000-6610-66100-6700-6710-6810 7600-7600C-7610-76100-7700-7710-7910 8210-8530-8630-8730-8830-TW5 TW10-TW15-TW20-TW25-TW30-TW35	34mm x 97mm 1.339" x 3.819"
W-ZP1927253 Universal Joint	W-81927253	(TW10-TW20 ALL W/ ZF APL 3052 Front Axle) (TW30-TW35 ALL W/ ZF APL3054 Front Axle)	38mm x 105.6mm 1.496" x 4.157"



FRONT AXLE / STEERING PARTS

FORD / NEW HOLLAND

FORD NEW HOLLAND











Code / Name	Replaces	For Models	Dim / Info
W-83959516 Universal Joint	W-E7NN4635AA	5110-5610-5610S-6410-6610-66100 6610S-6810-6810S-7010-7610-76100 7610S-7710-7810-7810S-7910-8010-8210 ALL W/ MFWD	30mm x 92mm 1.18" x 3.62"
W-ZP7029457210 Universal Joint	-	5110-5610-6610-7610	1.064" x 2.78"
W-CAR116859 Universal Joint	W-CAR041121 W-ZP1927841 W-CAR96867 W-87760752 W-81927841 W-83934724 W-83930362	(4600-4610 ALL W/ Carraro AE2-169 Axles) - (5110-5610-6410-6610 6810-7610-7710-7810-7910-8210 ALL W/ Carraro CAR709 Axles) (5600-5700-6600-6700 ALL W/ ZF APL1351 Axles)	27mm x 82.3mm 1.06" x 3.24"
W-ZP7029457404 Universal Joint	W-83961171 W-ZP0501206060 W-83956475	(7610-7710 ALL W/ MFWD Axle) (7910-8210 ALL W/ APL350 MFWD Axle) (TW5-TW15-TW25 ALL W/ APL345 MFWD Axle)	30mm x 83mm
W-ZP0501205339 Universal Joint	W-83956479	8730-8830-TW25-TW35 ALL W/ APL365 MFWD Axle	35mm x 97mm
W-9968059 Universal Joint, MFD Axle Shaft	W-CAR40825 W-144465A1	(250C-260C ALL 5/1990>) (6640-7740 ALL 11/1991-10/1994) (7840-8240-8340 ALL 11/1991-12/1994) (INDUSTRIAL/CONSTRUCTION: (LB75-LB75CP ALL Chassis#D4583) - (345C-345D-445C 445D-455C-545C-545D ALL 5/1993 Unit Code 3F11) - 555F 11/1991-10/1994 - (555C 555D-575D-655C-655D-675D ALL 5/1993>) (575F-655F ALL 1/1996>) - 675F 1/1996->)	27mm x 70.9mm 1.063" x 2.791"
W-85807283 Universal Joint	W-247543A1 W-337260A1	INDUSTRIAL/CONSTRUCTION: 555E-575E-655E-675E-895-895LR-895TC B110-LB110B-LB75-LB75B-LB75CP-LB90B	27mm x 71mm 1.063" x 2.795"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.







Code / Name	Replaces	For Models	Dim / Info
W-674393M91 Tie Rod	-	(235-245 ALL ORCHARD SN 9A253749>) (INDUSTRIAL/CONSTRUCTION: 20C-30B-30D-40B) - (FORKLIFT: 4500)	A - 4.380" B - 0.687" 18 RH thread
W-674394M91 Tie Rod	-	235 ORCHARD DSL SN <9A2106457 245 ORCHARD SN 9A253749> (INDUSTRIAL/CONSTRUCTION: 20C-30B-30D-40B) - (FORKLIFT: 4500)	A - 4.380" B - 0.687" 18 LH thread
W-825695M91 Tie Rod	-	TEA20-TED20-TEF20	A - 3 1/8" B - 0.656" 19 RH thread
W-180381M91 Tie Rod	W-1862029M91 W-194606M91 W-826751M91 W-826756M91 W-968406M91	TEA20-TED20-TEF20-T020-T030-T035-35 135 EARLY - 135 UK (INDUSTRIAL/CONSTRUCTION: 30-2135)	A - 3.250" B - 0.687" 18 RH thread
W-180391M91 Tie Rod	-	TEA20-TED20-TEF20-T020 135 EARLY - 350 (INDUSTRIAL/CONSTRUCTION: 30)	A - 3.594" B - 0.687" 18 LH thread
W-893607M91 Tie Rod	-	TEA20-TED20-TEF20	A - 2.875" B - 0.656" 19 LH thread
W-3475538M91 Tie Rod End	-	(INDUSTRIAL/CONSTRUCTION: (50H-50HX-60H ALL W/ CARRARO 4WD) (25-40E-6500H-6800H ALL 4WD))	A - 4.250" B - M24 x 1.5 LH thread
W-3475543M91 Tie Rod End	-	(INDUSTRIAL/CONSTRUCTION: 45 HANDLER (50H-50HX-60H ALL W/ CARRARO 4WD)	A - 4.250" B - M24 x 1.5 RH thread
W-518434M91 Complete Tie Rod Assembly	W-505371M91	175 CONT. GAS - 165 DSL (INDUSTRIAL/CONSTRUCTION: 3165-30 DSL)	A - 44.75" thread 0.625"
W-186236M91 Tie Rod, Long (RH) (7 Set Screw Holes)	-	F40-50 SN <-528163 - 65 GAS SN <-671680 / DIESEL SN <-667918	A - 16" B - 0.737"



FRONT AXLE / STEERING PARTS

MASSEY FERGUSON

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



Code / Name	Replaces	For Models	Dim / Info
 W-182510M91 Tie Rod, Long Tube (LH)	W-186061M91 W-880012M92 W-881888M92	F40-150-50 SN<533422 65 GAS SN <692932 / DIESEL SN <692932 65 HD - 765 HD SN 526081 -> 178 UK - 175 UK	A - 15.380" B - 0.758" I.D.
 W-192866M1 Tie Rod, Long (LH)	-	150-165-50 SN 533423-> 65 SN 692932->	A - 14.560" B - 0.937"
 W-192864M1 Tie Rod, Long Tube	-	150-165-50 SN 533423-> 65 SN 692932->	A - 15.250" B - 0.950" I.D.
 W-183388M91 Tie Rod	W-189228M91	50 MULTI-PURPOSE - 65 UTIL SN<685256 88 WESTERN - SUPER 90 WHEAT / RICE	A - 4.000" B - 0.812" 16 RH thread
 W-186145M92 Complete Tie Rod Assembly (RH)	-	50 SN 528163 - 533422 65 GAS SN 671680 - 692932 / DIESEL SN 667918 - 69293 INDUSTRIAL/CONSTRUCTION: (32-99 ALL IDRS)	-
 W-186066M91 Tie Rod, Long (RH)	W-881883M91 W-880009M92	50 SN 528163 - 533422 65 GAS SN 671680 - 692932 / DIESEL SN 667918 - 69293 INDUSTRIAL/CONSTRUCTION: (32-99 ALL IDRS)	A - 15.000" B - 0.742"
 W-186146M91 Complete Tie Rod Assembly (LH)	-	50 SN 528163 - 533422 65 GAS SN 671618 - 692932 DSL SN 667918 692932 ALSO HD-150-765 HD SN 526081->	-
 W-186063M91 Tie Rod, Long (LH)	W-894173M91 W-880008M92 W-182507M91 W-880003M1 W-880088M91 W-881884M91	50 SN 528163 - 533422 65 GAS SN 671618 - 692932 DSL SN 667918 692932 ALSO HD-150-765 HD SN 526081->	A - 15.000" B - 0.742"
 W-186061M91 Tie Rod, Long Tube (LH)	-	50 SN 528163 - 533422 65 GAS SN 671618 - 692932 DSL SN 667918 692932 ALSO HD-150-765 HD SN 526081->	A - 14.5" Long B - 3/4"

40

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-553318 Complete Tie Rod Assembly (RH)	-	150-165-50 SN 533423-> 65 SN 692932->	-
W-192865M1 Tie Rod, Long (RH) (7 notches on top)	-	150-165-50 SN 533423-> 65 SN 692932->	A - 15.487" B - 0.937"
W-1054588M91 Tie Rod, Long Tube (RH)	-	265 NARROW ORCHARD SN 9A349239>	18" Long
W-553319 Complete Tie Rod Assembly (LH)	-	50-65-150-165	-
W-553322 Complete Tie Rod Assembly	-	(65-765 ALL SN 526081->) (175-178 ALL SN 724936->)	-
W-880010M92 Tie Rod, Long (RH)	W-894054M91	(65-765 ALL SN 526081->) (175-178 ALL SN 724936->)	A - 12.750" B - 0.742"
W-182534M91 Tie Rod	-	(65-765 ALL SN 526081->) (175-178 ALL SN 724936->)	A - 3.750" B - 0.812" 16 RH thread
W-180780M92 Complete Tie Rod Assembly	-	T035-35-135 DELUXE / SPECIAL 235 STD SWEEP AXLE 230 SWEEP AXLE SN <-9A349239 INDUSTRIAL/CONSTRUCTION: (20-2135 ALL TURF)	-
W-193733M91 Tie Rod	-	T035-35-135 DELUXE / SPECIAL 235 STD SWEEP AXLE 230 SWEEP AXLE SN <-9A349239 INDUSTRIAL/CONSTRUCTION: (20-2135 ALL TURF)	A - 3.312" B - 0.687" 18 LH thread
W-180507M91 Tie Rod	-	T035-35-135 DELUXE / SPECIAL 235 STD SWEEP AXLE 230 SWEEP AXLE SN <-9A349239 INDUSTRIAL/CONSTRUCTION: (20-2135 ALL TURF)	A - 3.160" B - 0.687" 18 RH thread








MASSEY FERGUSON

FRONT AXLE / STEERING PARTS



MASSEY FERGUSON

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
 W-553323 Complete Tie Rod Assembly (LH)	-	165-168-185-255-265-270-275-282-283-290-565 590-675-690 - (175-178 ALL SN 724937->)	-
 W-881736M92 Tie Rod, Long (RH/LH)	-	165-168-185-188-255-265-270-275-282-283-290 565-575-590-675-690 - (175 SN 724933) (175-178 ALL SN 724937->)	A - 14.750" B - 0.742"
 W-886797M91 Tie Rod, Long Tube (LH)	-	165-168-185-255-265-270-275-282-283-290-565 590-675-690 - (175-178 ALL SN 724937->)	A - 15.500"
 W-553324 Complete Tie Rod Assembly (RH)	-	165-168-185-188-255-265-270-275-282-283-290 565-575-590-675-690-175 SN 724933->	-
 W-886802M91 Tie Rod (RH)	-	165-168-185-188-255-265-270-275-282-283-290 565-575-590-675-690-175 SN 724933->	A - 4.000" B - 0.812" - 16 RH
 W-1810366M91 Tie Rod, Long Tube (RH)	W-881741M92 W-898053M91	165-168-185-188 - (175-178 ALL SN 724937->) This tube w/ tie rod end can be used w/ W-881736M92 (shown above) for a complete assembly for the listed applications	17.750" Long 1.032" I.D.
 W-553325 Complete Tie Rod Assembly (LH)	-	165-168-175-185-188-255-265-275-285-290 (INDUSTRIAL/CONSTRUCTION: (30-31 ALL IND)	-
 W-1028098M91 Tie Rod, Inner (LH)	-	165-168-175-185-188-255-265-275-285-290 (INDUSTRIAL/CONSTRUCTION: (30-31 ALL IND)	A - 4.812" B - 1.000" Female
 W-1028262M91 Tie Rod, Long (7 notches on top)	-	165-168-175-185-188-255-265-275-285-290 (INDUSTRIAL/CONSTRUCTION: (30-31 ALL IND)	A - 15.000" B - 0.750"
 W-553326 Complete Tie Rod Assembly (RH)	-	165-168-175-185-188-255-265-275-285-290 (INDUSTRIAL/CONSTRUCTION: (30-31 ALL IND)	-









Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-1028264M91 Tie Rod, Long Tube (LH)	-	165-168-175-185-188-255-265-275-285-290 (INDUSTRIAL/CONSTRUCTION: 130-31 ALL IND)	A - 20.125" B - 0.750" I.D.
W-1028514M91 Tie Rod, Long (LH)	-	175 - (INDUSTRIAL/CONSTRUCTION: 30-31-3165)	A - 16.875" B - 4.750" C - 1.00" 16 UN RH thread
W-884797M91 Complete Tie Rod Assembly	-	265S TURKEY - (165-275 ALL UK)	A - 43.500"
W-1678023M1 Tie Rod, Long	-	298 - (698-699 ALL W/ 2WD)	A - 10.380" B - 0.937"
W-826752M92 Tie Rod	W-969352M1	135 VINEYARD 240 MAN STRAIGHT SN 522354-A20286 (INDUSTRIAL/CONSTRUCTION: 2135 NARROW)	A - 3.060" B - 0.687" 18 LH thread
W-1860412M2 Tie Rod, Long (RH)	-	148-230-240-250-135 UK - 550 UK	A - 7.875" B - 0.583"
W-1860564M2 Tie Rod, Long (LH)	-	230-240-148 W/ PS	A - 7.875" B - 0.583"
W-1860408M2 Tie Rod, Long (LH)	-	230-240-250-148 W/ MANUAL STRAIGHT 135 UK SN 140128-> 550 UK	A - 7.875" B - 0.583"
W-908825M1 Tie Rod, Long	-	(135-235 ALL VINEYARD, STRAIGHT AXLE) 245 VINEYARD, STRAIGHT AXLE SN < 9A349239	A - 4.690" B - 0.625"









MASSEY FERGUSON

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
 W-1821234M91 Tie Rod	-	154-4, 184-4, 254-4, 274-4, 294-4, 670, 690 ALL W/ 4WD	A - 4" B - 0.812" 16 RH thread
 W-3426660M1 Tie Rod, Inner	W-1809676M91 W-1617826M91 W-1617868M3	294-4 SN 223000321> W/ 4WD (154-4, 184-4, 254-4, 2640, 274-4, 670, 690 698 ALL W/ 4WD) (INDUSTRIAL/CONSTRUCTION: 24, 25)	A - 3.250" B - M18 x 1.5 RH thread
 W-3027647M1 Tie Rod, Long (LH)	-	231 - 240P	A - 7.500" B - 0.589"
 W-3027646M1 Tie Rod, Long (RH)	-	231 - 240P	A - 7.500" B - 0.589"
 W-1692144M1 Tie Rod, Long	W-1860565M2	240-250 (INDUSTRIAL/CONSTRUCTION: 20D W/ ADJ AXLE)	A - 7.750" B - 0.582"
 W-1808432M1 Tie Rod, Long	W-964343M1	240 MAN STRG	A - 6.625" B - 0.625"
 W-3429173M1 Tie Rod, Long Tube	-	240 4WD SN A20286> (4245-4255-4265 ALL W/ Narrow Axle)	A - 7" B - M18 x 1.5 RH Thread
 W-1032254M91 Tie Rod, Long	-	265 NARROW ORCHARD	A - 12.000" B - 0.750"
 W-3595181M92 Complete Tie Rod Assembly	-	(253-350-360-362 ALL UK MODEL) 240 UK SN 2773N01001->	-
 W-3475945M91 Tie Rod, Long	-	(253-350-360-362 ALL UK MODEL) 240 UK SN 2773N01001->	A - 29.250" B - 1.025"








Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-3475946M91 Tie Rod	-	(253-350-360-362 ALL UK MODEL) 240 UK SN 2773N01001->	A - 4.620" B - M28 x 1.5 M thread
W-553320 Complete Tie Rod Assembly	-	180-185-1080-1085 Assembly used on both LH & RH side of tractor	-
W-1028265M91 Tie Rod, Long (7 notches on top)	-	180-185-1080-1085	A - 15.487" B - 0.937"
W-1028268M92 Tie Rod	-	180-185-1080-1085	A - 3.875" B - 1.000" 16 RH thread
W-553330 Complete Tie Rod Assembly	-	1100-1105-1130-1135-1150-1155	-
W-1026382M93 Tie Rod, Long (RH/LH)	-	1100-1105-1130-1135-1150-1155	A - 16.312" B - 0.937"
W-1026383M91 Tie Rod	-	1100-1105-1130-1135-1150-1155 ALL WESTERN NOT ADJ WIDE FRONTS	A - 4.000" B - 1.000" 16 RH thread
W-553327 Complete Tie Rod Assembly	-	230-245 - (INDUSTRIAL/CONSTRUCTION: 20C IND)	-
W-1048272M91 Tie Rod, Long (LH) (7 notches on top)	-	230-245 - (INDUSTRIAL/CONSTRUCTION: 20C IND)	A - 32.843" B - 0.937"
W-1048273M91 Tie Rod	-	230-245 (INDUSTRIAL/CONSTRUCTION: 20C IND)	A - 3.843" B - 1.000" 16 RH thread





MASSEY FERGUSON

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.








Code / Name	Replaces	For Models	Dim / Info
 W-1043487M91 Tie Rod, Long (RH)	-	235 W/ STD STRAIGHT AXLE	A - 7.870" B - 0.750"
 W-1056235M91 Tie Rod (RH/LH)	W-1043489M1	235 W/ STD STRAIGHT AXLE	A - 3.312" B - 0.687" 18 RH thread
 W-1043491M91 Tie Rod, Long (LH)	-	235 W/ STD STRAIGHT AXLE	A - 7.870" B - 0.750"
 W-3764027M2 Tie Rod, Long Tube	-	365 SN<B18008 W/ AG75-85 4WD-(375-390 390T ALL SN B18009> W/AG75-85 4WD)-265S TURKEY W/ AG85 4WD-(383-393-396 ALL W/ AG75-85 4WD)-(4225-4235 ALL W/ AG75 4WD) (4243-4253 ALL W/ AG75-85 4WD)-4245-4255 ALL W/ AG85/AG105.L 4WD)-(275 UK 283 UK 3050-3060-3065-4263-4270 ALL W/ AG85 4WD)	A - 8.750" B - M18 x 1.5 RH thread
 W-3426312M1 Ball Joint	-	365 SN<B18008 W/ AG75-85 4WD - (375-390 390T ALL SN B18009> W/AG75-85 4WD) - 265S TURKEY W/ AG85 4WD - (383-393-396 ALL W/ AG75-85 4WD) - 398 SN B18009> W/ AG105 4WD AXLES - 399 W/ 1006.6 ENG. W/ AG105 4WD AXLES - (4255-4270-6150-6255-6265 ALL W/ AG105 4WD AXLE) - (4225-4235 ALL W/ AG75 4WD) - (4243-4253 ALL W/ AG75-85 4WD) - 4245 4255 ALL W/ AG85 / AG105.L 4WD) - (275 UK 283 UK - 3050-3060-3065-4263-4270 ALL W/ AG85 4WD)	A - 7" B - M20 x 1.5 RH thread C - M18 x 1.5 RH thread
 W-3427685M3 Tie Rod	-	360 MFWD SN 0997>	A - 4.310" B - M24 x 1.5 RH thread
 W-3426773M3 Tie Rod	-	(375-390-390T-398 ALL W/ MFWD) 360 W/ MFWD SN <0947, 399 W/ MFWD W/ 1006.6 ENG - (3505-3525-3545 ALL W/ MFWD)	A - 4.220" B - M24 x 1.5 RH thread
 W-3443036M91 Tie Rod, Long	-	240 SN N01001> W/ CYL 3401553M92 - 360 362 - (INDUSTRIAL/CONSTRUCTION: 20F-30E-40E	A - 8.500" B - 0.6045"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-3764028M2 Tie Rod, Long Tube	-	398 SN B18009> W/ AG105 4WD AXLES - 399 W/ 1006.6 ENG. W/ AG105 4WD AXLES (4255-4270-6150-6255-6265 ALL W/ AG105 4WD AXLE) - 4245 W/ AG105 4WD AXLES	A - 10.375" B - M18 x 1.5 RH thread
W-553328 Complete Tie Rod Assembly (RH)	-	285-245 W/ HEAVY DUTY FRONT	-
W-1044294M91 Tie Rod, Outer (RH)	-	285-245 W/ HEAVY DUTY FRONT	A - 5.031" B - 1.000" 16 RH thread
W-1044295M91 Tie Rod, Long (RH) (7 side grooves)	-	285-245 W/ HEAVY DUTY FRONT	A - 15.500" B - 0.937"
W-553329 Complete Tie Rod Assembly (LH)	-	285-245 W/ HEAVY DUTY FRONT	-
W-1044297M91 Tie Rod, Long Tube (LH)	-	285-245 W/ HEAVY DUTY FRONT	A - 17.000"
W-1044298M91 Tie Rod, Long (LH) (7 side grooves)	-	285-245 W/ HEAVY DUTY FRONT	A - 15.500" B - 0.937"
W-553331 Complete Tie Rod Assembly	-	1100-1105-1130-1135-1150-1155 ALL WESTERN NOT ADJ WIDE FRONTS	-
W-1028095M91 Tie Rod, Long Tube (LH/RH)	-	1100-1105-1130-1135-1150-1155 ALL WESTERN NOT ADJ WIDE FRONTS	-










MASSEY FERGUSON

Code / Name	Replaces	For Models	Dim / Info
 W-886796M92 Complete Tie Rod Assembly (LH)	-	165 South Africa Only, 255-265S-271-275 UK 281-283-283 UK - 290-290 UK Consists of: W-886797M91, W-881736M91 tie rods	-
 W-886800M92 Complete Tie Rod Assembly (RH)	-	165 South Africa Only, 255-265S-271-275 UK 281-283-283 UK - 290-290 UK Consists of: W-881736M92 tie rod - W-886801M91 tube & W-886802M91 tie rod	-
 W-1032715M91 Tie Rod	-	235 Orchard/Gas SN 9A223895>/Dsl. SN 9A210647> 245 Orchard SN <9A349239 (INDUSTRIAL/CONSTRUCTION: 40-2200)	A - 4.375" B - 11/16 18 UN RH thread
 W-1032716M91 Tie Rod (LH)	-	235 Orchard/Gas SN 9A223895>/Dsl. SN 9A210647> - 245 Orchard SN <9A349239 (INDUSTRIAL/CONSTRUCTION: 2200-40)	A - 4.375" B - 11/16 18 UN LH thread
 W-1034059M92 Tie Rod End	-	1080-1085-180 ALL WESTERN FIXED THREAD	A - 3.750" B - 0.813" RH thread
 W-1807258M1 Tie Rod, Long	-	592-595-1080-1085	A - 14.12" B - 1.10"
 W-3033243M3 Tie Rod, Long	-	2640-3505-3525-3545 ALL W/ 2WD	A - 28.810" B - 0.937"
 W-3033244M2 Tie Rod	-	2640-3505-3525-3545 ALL W/ 2WD	A - 3.870" B - 1" 16 RH thread
 W-3599679M91 Tie Rod, Inner	-	365 SN<B18009 - 375 SN P33139> - 383-1390 390T ALL SN P33139>1 - 393-396-398 SN <B18008 - 399-4225-4235-4240-4243-4245 4253-4255-4260-4263-4265-4270-4325-4335 4345-4360-4370	A - 4.130" B - M28 X 1.5 thread

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-3040676M92 Tie Rod, Long (LH) (7 vertical holes)	-	2675-2705 ALL W/ STD DUTY AXLE SN<-7193	A - 20.750" B - 1.375"
W-3045062M91 Tie Rod (RH)	W-3045062M92	2675- 2705 ALL W/ STD DUTY AXLE SN <-7193	A - 5.094" B - 1.000" 16 RH thread
W-1626710M93 Tie Rod (LH)	-	2745-2775-2805 (2675-2705 ALL W/ HEAVY DUTY AXLE)	A - 5.000" B - 1.125" 12 thread
W-3038564M92 Tie Rod, Long (RH/LH)	-	2745-2775-2805 (2675-2705 ALL W/ HEAVY DUTY AXLE)	A - 13.250" B - 1.116"
W-3045308M91 Tie Rod, Long Tube (RH)	-	2745-2775-2805 (2675-2705 ALL W/ HEAVY DUTY AXLE)	A - 21.625" B - 1.125" I.D.
W-3104945M1 Tie Rod	-	3050-3060-3070-3090-3120-3140-3630 3650-3655-3660-3680-3690-6150-6170 6180-8120-8140-8150-8160 ALL W/ 2WD)	A - 2.812" B - M24 x 1.5 LH thread
W-1617829M1 Tie Rod (RH)	-	2640-3505-3525-3545-3630-3650 ALL W/ MFWD	A - 4.180" B - M24 x 1.5 LH thread
W-3764286M1 Tie Rod, Long Tube	-	3645-3655-8120-8140 ALL SN E010034> 4WD) (8210-8220-8240-8250 ALL 4WD)	A - 9.375" B - M24 x 1.5 RH thread
W-3426255M1 Ball Joint	-	(3140-3630-3650-3655-3660-3670-3680 3690 ALL W/ MFWD) - (3645-3655-8120-8140 ALL SN <E010033 4WD W/ AG105 AXLE) (3645-3655-8120-8140 ALL SN E010034>4WD) - 3660 SN C278049> 4WD/ AG105 AXLE - (8150-8160 ALL 4WD) - (3670 3690 ALL 4WD SN C278015>) (8210-8220-8240-8250 ALL 4WD)	A - 8.250" B - M22 x 1.5 RH thread C - M24 x 1.5 RH thread










MASSEY FERGUSON

FRONT AXLE / STEERING PARTS

MASSEY FERGUSON

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Code / Name	Replaces	For Models	Dim / Info
 W-3764132M1 Tie Rod, Long Tube	-	(3645-3655-8120-8140 ALL SN <E010033 4WD W/ AG105 AXLE) - 3660 SN C278049> 4WD/ AG105 AXLE	A - 9.440" B - M24 x 1.5 RH thread
 W-3428818M2 Tie Rod, Long Tube	-	362-4225-4235-4240-4325-4335 ALL MFWD W/ AG66 Wide Front Axle	A - 10.50" B - M18 x 1.5 RH thread
 W-3428268M1 Ball Joint	-	(362-4225-4235-4240-4325-4335 ALL MFWD W/ AG66 Wide Front Axle) 240 4WD SN A20286> (4245-4255-4265 ALL W/ Narrow Axle)	A - 7" B - M18 x 1.5 RH thread C - M18 x 1.5 RH thread
 W-3429731M1 Tie Rod, Long Tube	-	(8150-8160 ALL 4WD) (3670-3690 ALL 4WD SN C278015>)	A - 7.625 B - M24 x 1.5 RH thread
 W-1678024M1 Tie Rod, Long	-	298-698-699	A - 1.4" B - 1.100"
 W-3427168M2 Tie Rod, Inner	-	360-362-375-390-390T-393-396-398-399 ALL W/ 4WD	A - 3.25" B - M22 x 0.5 RH thread
 W-3595527M91 Tie Rod	-	375-383-390-390T-398-399 ALL W/ ENG SN <33139	A - 4.125" B - M28 x 1.5 RH thread
 W-3426276M1 Tie Rod, Long Tube	-	3140-3630-3650-3655-3660-3670-3680-3690 ALL W/ MFWD	A - 10.440" B - 1.420"
 W-898342M1 Steering Arm (RH)	-	165 UK - 255-270-282-283-290-392S-670-690	-
 W-898343M1 Steering Arm (LH)	-	165 UK - 255-270-282-283-290-392S-670-690	-
 W-194569M1 Steering Arm (RH)	-	165-175-255-265-275-285 (INDUSTRIAL/CONSTRUCTION: 30-31-3165)	-

50

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-194570M1 Steering Arm (LH)	-	165-175-255-265-275-285 (INDUSTRIAL/CONSTRUCTION: 30-31-3165)	-
W-1676664M1 Crank Arm	-	282-283-392S-565-575-590-670-675 (165-168-175-178-185-188-265S-275 UK - 285S-290 ALL W/ STD / HD MANUAL OR PS) (INDUSTRIAL/CONSTRUCTION: 50E-50H)	-
W-898355M91 Steering Arm	-	165 UK - 168 - 175 UK - 178-185-188-265S-270 275 UK - 282-283-285S-290-565-575-670-675-690	42 Teeth Spline
W-1671335M1 Steering Arm	-	282 - (165 UK - 168 - 175 UK - 178-185-188 265S - 275 UK - 285S - 290 UK ALL W/ PS)	-
W-534155M91 Steering Arm, Lower	-	(165-175 ALL USED W/ W-523112M91 CENTER STEERING SHAFT) - (INDUSTRIAL/CONSTRUCTION: (30-31-3165 ALL USED W/ W-523112M91 CENTER STEERING SHAFT))	43 Teeth Spline
W-514285M1 Steering Arm, Upper	-	(165-175 ALL USED W/ W-523112M91 CENTER STEERING SHAFT) - (INDUSTRIAL/CONSTRUCTION: (30-31-3165 ALL USED W/ W-523112M91 CENTER STEERING SHAFT))	-
W-532219M92 Steering Arm, Center	-	265 SN < -9A349238 - 275 SN < - 9A324136 285 SN < -9A281392 - 255 SN < -9A324145 Uses W-194624M1 Bushings	43 Splines 9.218" Long Shaft 1.873" Shaft Dia.
W-523112M91 Steering Arm, Center	-	165-175 (INDUSTRIAL/CONSTRUCTION: 3165 (30-31 ALL IND)) Uses W-194624M1 Bushings	43 Splines 11.187" Long Shaft 1.686" & 1.873" Dia.
W-1676665M1 Steering Shaft, Power Steering	W-898359M2	(175 UK - 178 ALL SN 724936> W/ Power Steering) (165 UK - 265S - 275 UK - 282 - 290 UK ALL W/ Power Steering)	1.870" Dia. 13.475" Long
W-1676666M1 Steering Shaft, Manual Steering	W-898023M2	165 UK - 168 - 175 UK - 178-185-188 265S-270 - 275 UK - 283-290-392S (INDUSTRIAL/CONSTRUCTION: 50E-50H) 565-575-590-670-675-690	1.870" Dia. 11.375" Long







MASSEY FERGUSON

FRONT AXLE / STEERING PARTS



MASSEY FERGUSON

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
 W-880069M2 Sleeve, Sheartube Coupling Reduction	-	35-50-65-135-148-150-155-165-168-175 178-188-765-F40-FE135-T035 (INDUSTRIAL/CONSTRUCTION: 158-202-203-204-205-365-2200)	5.000" Long 3 Groove 10 Spline
 W-1863384M1 Coupling, Wheel	W-880070M2	65-135-150-165-175-180 (INDUSTRIAL/CONSTRUCTION: 11 LOADER)	5.000" Long 3 Groove 10 Spline
 W-1680189M1 Coupling, Drive Shaft, Rear	-	50-65-135-150-165-175-180-235-240-245-250 253-255-262-265-270-275-282-283-285-290-298 360-375-383-390-390T-392S-398-399-565-575 590-670-675-690-698-699 - (INDUSTRIAL/ CONSTRUCTION: 11-20E-20F-24-25-30-30B-30D 30E-30H-31-40-40B-40E-50A-50C-50D-50E-50H 60-60H-60HT-203-205-302-304-356-2200-3165 6500H-6800H)-(FORKLIFT: 2500-4500-6500)	3.750" Long 1 Groove 10 Spline
 W-1871924M1 Coupling, Drive Shaft	-	231-240 ENG. SN<B32999 35-50-T035 SN169467> Used when W-168375M91 is used as a service replacement	3.81" Long 1 Groove 10 Spline
 W-1860963M2 Brake Actuator Assembly	-	245 ORCHARD-250-270-283-290-298-360-375 383-390-393-398-670-690-698-699-(255-265 275-285-1085 ALL with wet brakes)-(INDUSTRIAL/ CONSTRUCTION: 20F-30-30B-30D-30E-30H-31-40 40B-40E-50A-50C-50D-50E-50H-60) For models w/ wet brake system	-
 W-535873M91 Brake Actuator Assembly	-	165-175-180-1080-(255-1085 ALL with dry brakes) - (135-235 ALL ORCHARD) (265-275-285 ALL SN<9A349239) (INDUSTRIAL/CONSTRUCTION: 30-40)	9" O.D.
 W-1860965M2 Plate, Brake	-	245 Orchard-250-270-283-290-298-360-375 383-390-393-398-670-690-698-699-(255-265 275-285-1085 ALL with wet brakes)-(INDUSTRIAL/ CONSTRUCTION: 20F-30B-30D-30E-30H-31-40 40B-40E-50A-50C-50D-50E-50H-60)	8.976" O.D. 4.960" I.D.
 W-885444M91 Lift Arm	W-885445M91 W-897576M1	135-175-230-231-235-240-240P-245-250 (INDUSTRIAL/CONSTRUCTION: 20-20C-(20D-20F 30E ALL UK)-30-40-40B-40E-203-205-302-304 2200-3165 UK) Check side before ordering because arm is used as RH on some models and RH & LH on others.	2.125" I.D. 50 Splines Used w/ W-897567M3 Cross Shaft

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-885446M1 Lift Arm (LH)	-	135-150-165-175-235-245-255-265-275-285 (INDUSTRIAL/CONSTRUCTION: 20-30-30B-30D-40-40B-203-205-3165) Used w/ W-897567M3 cross shaft	-
W-1680040M91 Lift Arm, Hydraulic (RH/LH)	W-885447M91	165-175-180-250-253-255-265-270-275-282-283 285-290-298-360-362-375-383-390-390T-392S 393-398-399-670-690-698-699-1080-1085 (INDUSTRIAL/CONSTRUCTION: 30-30B-30D-30E-31-40B-40E-50C-50D-50E) Used w/ W-897567M3 cross shaft	-
W-180910M1 Lift Arm, Lower (RH/LH)	-	35-35X(FE)-50-65-135-150-165-TEA20-T020 T030-T035 - (INDUSTRIAL/CONSTRUCTION: 202-203-204-205-302-304-2135) Used w/ W-184359M1 cross shaft or W-890722M1 cross shaft	1.80" I.D. & 37 Spline Hole
W-897567M3 Shaft, Hydraulic Cross	W-899149M2	135-150-165-165 UK-175-175 UK-178-180-230-231 231S-235-240-240P-240S-241-243-245-250-251XE 253-255-261-263-265-265S-270-271-271X-271XE 275-275 UK-281-281X-281XE-282-283-283 UK-285 285S-290-290 UK-298-360-362-375-383-390 390T-396-398-399-1080-1085 (INDUSTRIAL/CONSTRUCTION: 20-2135) Splines: (center has 54 fine & 1 reg) (ends has 49 fine & 1 reg)	2.187" Bushing Dia. Uses W-1870934M1 Bushing
W-184359M1 Shaft, Hydraulic Cross	-	35-50-65-130-135-150-165-F40-T035 (INDUSTRIAL/CONSTRUCTION: 25-202-203-204-205-302-304-2135) Used w/ W-180910M1 lift arm & W-181018M1 bushing	37 Splines On Ends 42 Splines In Center 2" Bushing Dia.
W-TL03 Top Link, Red (Cat I)	-	Undefined: VARIOUS MODELS	-
W-TL00 Top Link	-	SEVERAL Adjustable top link, heavy swedged center tube, forged ends, locking nut.	0.625" pin hole 0.750" thread 9.750" body 13" - 20" adj



MASSEY FERGUSON

FRONT AXLE / STEERING PARTS

CASE IH

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-356544R11
Tie Rod, Long

-

100-130-140- (AV-AV1-A1-SUPER A
ALL SN 318310>)
Used w/ 0.875" O.D. tie rod tube

A - 14.810"
B - 0.624"



W-356540R91
Tie Rod

-

AV - AV1 - A1
CUB LO-BOY - SUPER A
100 - 130 - 140

A - 3.062"
B - 0.687"
18 RH thread




W-360412R11
Tie Rod, Long

-

(AV - AV1 - A1 - SUPER A ALL SN 318310->)
100 - 130 - 140

A - 14.750"
B - 0.750"




W-1502269C2
Tie Rod, Inner

-

258-268-278-584-585-684-685-784
785-884-885 HYDRO 84 ALL 4WD

A - 4.16"
B - M30 x 1.5
RH ID thread




W-3040919R92
Tie Rod, Long

W-3071096R91
W-3040919R91

2350A-276-354-364-384-434-444-B275
B414 Manual & Power Steering
(INDUSTRIAL/CONSTRUCTION: 2300)

A - 32.000"
B - 0.750"




W-3040922R92
Tie Rod

W-3071056R91

B275-B414-354-364
INDUSTRIAL/CONSTRUCTION: 2300A

A - 3.060"
B - 0.625" 19 RH
British Std thread




W-363161R92
Tie Rod

-

30C-330-340-350-460
ALL International - Utility

A - 4.250"
B - 11/16
18 UN RH thread




W-363160R91
Tie Rod

W-365852R91

(300-330 ALL UTILITY)
340 GAS & DSL, UTILITY
460 GAS & DSL

A - 3.875
B - 0.687"
18 LH thread



W-3045309R91
Tie Rod

W-3040921R11
W-3071055R91

B414 - 384

A - 3.060"
B - 0.625" - 19 LH
British Std thread








CASE IH

54

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-356541R91 Tie Rod	-	(A1-AV-AV1-SUPER A - 100-130-140 ALL W/ FIXED AXLES) - (404-424-444 ALL W/ FIXED HEAVY DUTY FRONT AXLE) (INDUSTRIAL/CONSTRUCTION: (2404-2424-2444 ALL W/ FIXED HEAVY DUTY FRONT AXLE))	A - 3.060" B - 0.687" 18 NF LH thread
W-371021R11 Tie Rod, Long (RH/LH)	-	240 FARMALL & IH, W/ ADJ WIDE FRONT AXLE (200-230 ALL FARMALL, W/ ADJ WIDE FRONT AXLE) (330-340-404-504 ALL W/ ADJ WIDE TREAD FRONT AXLE) - (INDUSTRIAL/CONSTRUCTION: (2404-2504 ALL W/ ADJ WIDE TREAD FRONT AXLE))	A - 17.120" B - 0.750"
W-379204R11 Tie Rod, Long (RH/LH)	-	(404-444-424 ALL ADJ FRONT AXLES) INDUSTRIAL/CONSTRUCTION: (2404-2424-2444 ALL ADJ FRONT AXLE)	A - 16.875" B - 0.750"
W-393228R11 Tie Rod, Long	-	(424-444 ALL FOR 45" - 61" NARROW TREAD AXLE) INDUSTRIAL/CONSTRUCTION: (2424-2444 ALL FOR 45" - 61" NARROW TREAD AXLE)	A - 11.870" B - 0.750"
W-399292R1 Tie Rod, Long	-	(424-444 ALL FOR 49" - 69" NARROW TREAD AXLE) INDUSTRIAL/CONSTRUCTION: (2424-2444 ALL FOR 49" - 69" NARROW TREAD AXLE)	A - 14.250" B - 0.750"
W-3040920R91 Tie Rod	W-3040920R92 W-3071097R91	2350A-276-354-364-384-434-444 B275-B414 Manual & Power Steering INDUSTRIAL/CONSTRUCTION: 2300	A - 3.125" B - 0.750" 16 RH thread
W-3116407R3 Tie Rod	-	385 Straight & Swept Back 485 - (495-595 ALL Straight & Swept Back) 684-685-884-885-895 Straight Adj. Front Axle	A - 3.750" B - 0.875" 16 RH thread
W-356540R91 Tie Rod	-	C - CUB LO-BOY - SUPER C - 404 - 424 - 444 - 454 464 SWEEP BACK - 485 - 504 INDUSTRIAL/CONSTRUCTION: 2424 - 2444	A - 3.062" B - 0.687" 18 RH thread
W-527658R91 Tie Rod	-	574 - 674 - (385 - 454 - 485 ALL STD)	A - 3.062" B - 0.687" 18 RH thread



CASE IH

FRONT AXLE / STEERING PARTS

CASE IH


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-3116406R3
Tie Rod, Long

-

485-495-684-685-784-884-885-695 STR
385 SWEPT BACK
895 Straight Adj. Front Axle

A - 15.125"
B - 0.812"




W-3125171R2
Tie Rod, Long

W-1332805C1

585-595-684-685

A - 14.125"
B - 0.812"



W-3129380R2
Tie Rod, Long

-

385-454-464-485-585-595-674-784-884
885-384 STR - (495-695 ALL SWEPT BACK)
INDUSTRIAL/CONSTRUCTION: 2400A

A - 15.750"
B - 0.812"



W-65074C91
Tie Rod, Long

-

385-454-485-585-595-674-784-885-384 STR
(495-695 ALL SWEPT BACK)
464 SWEPT BACK 44-72" AXLE OR 48-80" AXLE
INDUSTRIAL/CONSTRUCTION: 2400A

A - 13.750"
B - 0.750"



W-65077C91
Tie Rod, Long

-

385-454-485-585-595-674-784-884-885-384
STR - (495-695 ALL SWEPT BACK) - (464-484
ALL SWEPT BACK 44-72" AXLE OR 48-80" AXLE)
INDUSTRIAL/CONSTRUCTION: 2400A

A - 16.000"
B - 0.750"



W-65079C91
Tie Rod, Long

-

385-454-485-574-585-595-674-784-884-885
384 STR - (495-695 ALL SWEPT BACK) - (464
SWEPT BACK 44-72" AXLE OR 48-80" AXLE)
INDUSTRIAL/CONSTRUCTION: 2400A

A - 15.000"
B - 0.750"



W-65082C91
Tie Rod, Long

-

385-454-485-574-585-595-674-784-884-384
STR - (495-695 ALL SWEPT BACK) - (464 SWEPT
BACK 44-72" AXLE OR 48-80" AXLE)
INDUSTRIAL/CONSTRUCTION: 2400A

A - 16.000"
B - 0.750"




W-3129378R1
Tie Rod, Long

-

484 W/ SWEPT ADJ FRONT AXLE

A - 15.750"
B - 0.812"



W-223324
Complete Tie Rod
Assembly





-

385-485-495-574-584-595-695
INDUSTRIAL/CONSTRUCTION: 2400A







**Due to multiple OEM styles, individual pieces
may not fit models listed, but can use assem-
bly as a replacement. (Assembly consists of:
(1) W-65082C91, (1) W-527658R91, (1)
W-527659R2, (1) W-390686R1 & (1) W-43747D**

W-65082C91: Stud
Taper= 0.606" To 0.700"
W-527658R91: Stud
Taper= 0.606" To 0.700"








Code / Name	Replaces	For Models	Dim / Info
W-223325 Complete Tie Rod Assembly	-	454 Straight Front Axle SN <100005 - 474 485 International - (495-595-695 ALL Swept Back Front Axle) - (INDUSTRIAL/ CONSTRUCTION: 2400A Straight Front Axle SN < 100005 - 2500A Straight Front Axle SN< 100003) Due to multiple OEM styles, individual pieces may not fit models listed, but can use assembly as a replacement. Assembly consists of: (1) W-65079C91, (1) W-527658R91, (1) W-527659R2, (1) W-390686R1 & (1) W-43747D	W-65079C91: Stud Taper= 0.606" to 0.700" W-527658R91: Stud Taper= 0.606" to 0.700"
W-223326 Complete Tie Rod Assembly	-	(385-495-674 ALL Straight Front Axle) 454 Straight Front Axle SN 100006> 484-485 - (584-595-695 ALL Adj. Straight Front Axle) - 574-585-684-784-884-885 SN<3083 - (INDUSTRIAL/CONSTRUCTION: 2400A Straight Front Axle SN 100006> 2500A Straight Front Axle SN< 100004>) Due to multiple OEM styles, individual pieces may not fit models listed, but can use assembly as a replacement. Assembly consists of: (1) W-65079C91, (1) W-527658R91, (1) W-67529C1, (1) W-390686R1, (1) W-43747D.	W-65079C91: Stud Taper= 0.606" to 0.700" W-527658R91: Stud Taper= 0.606" to 0.700"
W-223327 Complete Tie Rod Assembly	-	454-464 ALL Swept Back Front Axle Due to multiple OEM styles, individual pieces may not fit models listed, but can use assembly as a replacement. Assembly consists of: (1) W-65077C91, (1) W-356540R91, (1) W-527659R2, (1) W-390686R1, (1) W-43747D.	W-65077C91: Stud Taper= 0.546" to 0.624" W-356540R91: Stud Taper= 0.546" to 0.624"
W-379552R92 Tie Rod, Long	-	504-544-656-664-606 Swept Back (INDUSTRIAL/CONSTRUCTION: 2504-2544 2606-2656)	A - 15.750" B - 0.920"
W-380317R92 Complete Tie Rod Assembly	-	504-544-606-656 ALL W/HD FIXED FRONT AXLE - (INDUSTRIAL/CONSTRUCTION: 2504-2544-2606-2656 ALL W/ HD FIXED FRONT AXLE)	-



CASE IH

Code / Name	Replaces	For Models	Dim / Info
 W-382569R92 Tie Rod, Long Tube	-	504-544-606-656 ALL W/ HD FIXED FRONT AXLE (INDUSTRIAL/CONSTRUCTION: 2504-2544 2606-2656 ALL W/ HD FIXED FRONT AXLE)	A - 16.625" B - 1.000"
 W-382570R92 Tie Rod	-	504-544-606-656 ALL W/ HD FIXED FRONT AXLE (INDUSTRIAL/CONSTRUCTION: 2504-2544 2606-2656 ALL W/ HD FIXED FRONT AXLE)	A - 4.000" B - 0.812" 16 RH thread
 W-379326R91 Tie Rod	-	HYDRO 84 HYDRO, W/ NON ADJ CAST I BEAM FRONT AXLE - 574-(454-484-485-495-544-584-585-595 595XL-656-684-685-685XL-784-884-885-885XL 895-895X ALL W/ NON ADJ CAST I BEAM FRONT AXLE)-(INDUSTRIAL/CONSTRUCTION: (380B 2400A-2500A-2544-2656 ALL W/ NON ADJ CAST I BEAM FRONT AXLE)	A - 4.060" B - 0.812" 16 UN LH thread
 W-379327R91 Tie Rod	-	HYDRO 84 HYDRO, W/ NON ADJ CAST I BEAM FRONT AXLE - 574-(454-484-485-495-544-585-595 595XL-656-684-685-685XL-695-695XL-784-884 885-885XL-895-895XL ALL W/ ADJ CAST I BEAM FRONT AXLE) - (INDUSTRIAL/CONSTRUCTION: (380B 2400A-2500A-2544-2656 ALL W/ ADJ CAST I BEAM FRONT AXLE)	A - 4.060" B - 0.812" 16 UN RH thread
 W-1968464C1 Tie Rod, Long Tube	-	(395-495-595-695-895 ALL MFWD W/ ZF Front Axle) - (585-685-885 ALL MFWD SN 18001>)	A - 9.750" B - M22 x 1.5 RH thread
 W-1968468C1 Ball Joint	W-1968463C1	(395-495-595-695-895 ALL MFWD W/ ZF Front Axle) - (585-685-885 ALL MFWD SN 18001>)	A - 7.540" B - M20 x 1.5 RH thread C - M22 x 1.5 RH thread
 W-356601R21 Tie Rod, Long	-	200-230 (C & SUPER C ALL W/ 40.375" or 46.375" Axle)	A - 19.380" B - 0.750"
 W-223313 Complete Tie Rod Assembly	-	460-544-560-656-660-666-706-758-766-806 826-856-966-986-1026-1066-1086-1206-1256 1456-1466-1486-1566-1568-1586-3088-3288 3488-3688- HYDRO 70 - HYDRO 100 - HYDRO 186 (5088-5288-5488 ALL STANDARD AXLE; 2WD)	-

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.









Code / Name	Replaces	For Models	Dim / Info
W-384006R92 Tie Rod, Inner	-	460-544-560-656-660-666-706-758-766-806-826 856-966-986-1026-1066-1086-1206-1256-1456 1466-1486-1566-1568-1586-3088-3288-3488-3688 HYDRO 70 - HYDRO 100 - HYDRO 186 - (5088-5288 5488 ALL STANDARD AXLE; 2WD)	A - 3.750" B - 1.000" 16 thread 
W-359984R93 Tie Rod, Long	W-384441R93	460-544-560-656-660-666-706-758-766-806-826 856-966-986-1026-1066-1086-1206-1256-1456 1466-1486-1566-1568-1586-3088-3288-3488-3688 HYDRO 70 - HYDRO 100 - HYDRO 186 - (5088-5288 5488 ALL STANDARD AXLE; 2WD)	A - 15.750" B - 0.920" 
W-379551R92 Tie Rod	-	504-544-606-656-664 (INDUSTRIAL/CONSTRUCTION: 2504-2544-2606 SWEEP BACK - 2656)	A - 3.750" B - 1.000" 16 UN RH thread 
W-384005R91 Tie Rod	-	706-756-806-856 ALL STD	A - 3.750" B - 1.000" 16 LH thread 
W-1280662C1 Tie Rod, Long, 2WD	-	(5088-5288-5488 ALL HI-CAP AXLE; 2WD) (7110-7120-7130-7140-7150-7210-7220-7230 7240-7250-8910-8920-8930-8940-8950 MX100-MX110-MX120-MX135-MX150-MX170 MX180-MX200-MX210-MX220-MX230 MXM120-MXM130-MXM140-MXM155-MXM175 MXM190 ALL 2WD Only)	A - 15.275" B - 1.185" 
W-1280658C1 Tie Rod, 2WD	-	(5088-5288-5488 ALL HI-CAP AXLE; 2WD) (7110-7120-7130-7140-7150-7210-7220-7230 7240-7250-8910-8920-8930-8940-8950 MX100-MX110-MX120-MX135-MX150-MX170 MX180-MX200-MX210-MX220-MX230 ALL 2WD Only) - (MXM120-MXM130-MXM140-MXM155 MXM175-MXM190 ALL 2WD Only)	A - 4.100" B - 1.125" 12 RH thread 
W-1531204C1 Tie Rod	-	5120-5130-5140-5220-5230-5240-5250 ALL W/ 60"-88" OR 68"-96" Thread	A - 4.125" B - M24 x 1.500" RH thread 
W-1531203C1 Tie Rod, Long	-	5120-5130-5140-5220-5230-5240-5250 ALL W/ 60"-88" Thread	A - 36.870" B - 1.100" 

CASE IH

FRONT AXLE / STEERING PARTS

CASE IH

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
 W-1277451C1 Tie Rod	-	5088-5288-5488-7110-7120-7130-7140-7150 ALL W/ MFWD	A - 5.375" B - 1.125" 12 UNF RH thread
 W-1277452C1 Tie Rod	-	5088-5288-5488-7110-7120-7130 7140-7150 ALL W/ MFWD	A - 5.375" B - 1.125" 12 UNF LH thread
 W-ZF0501303028 Tie Rod, Inner	W-81927245	1255 4WD - ZF APL3052 1455 4WD - ZF APL 3054	A - 5.625" B - M36 x 1.5 RH thread
 W-3059433R1 Tie Rod, Inner	-	523-654-724-824	7075" M22 x 1.5 thread
 W-378817R91 Tie Rod, Inner	-	(484-485-495-544-584-585-595-656-684-685 695-784-884-885-895-995-H84 ALL W/ Cast Iron Non Adjustable Front Axle) (INDUSTRIAL/CONSTRUCTION: (2400A-2500A 2544-2656 ALL W/ Cast Iron Non Adjustable Front Axle))	A - 2.75" B - 7/8" 14 UNF RH thread
 W-3146035R95 Tie Rod, Inner	-	HYDRO 84 HYDRO, W/ ZF ALL WHEEL DRIVE AXLE (584-684-784-884 ALL W/ZF ALL WHEEL DRIVE AXLE) - (644-744-844-844S ALL 4WD & Power Steering)	A - 3.250" B - M20 x 1.5 RH thread
 W-3141529R91 Tie Rod	-	HYDRO 84 HYDRO, 4WD ZF AXLE (585-685-885 ALL SN<18001 4WD ZF AXLE) (644-744-844-844S ALL 4WD & Power Steering) (584-684-784-884 ALL 4WD ZF AXLE)	A - 4.812" B - M30 x 1.5 RH thread
 W-1537872C1 Tie Rod	-	(4210-4220-4230-4240 ALL W/ 52-77" Thread Width)-(395-495-595-695-895-995-3210-3220 3230-C50-C60-C70-C80-C90-C100-CX50-CX60 CX70-CX80-CX90-CX100-MX80C-MX90C MX100C ALL W/ 52-82" Tread Width)	A - 3.750" B - 7/8 16 UN RH thread
 W-137048A1 Tie Rod, Long Tube	W-1537612C1	395-495-595-695-795-895-995-3210-3220 3230-4210-4220-4230-4240-C50-C60-C70 C80-C90-C100-CX50-CX60-CX70-CX80-CX90 CX100-MX80C-MX90C-MX100C ALL W/ Carraro CAR707 Front Axle	A - 6.750" B - M18 x 1.5 RH thread








CASE IH

60

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-137047A1 Tie Rod, Long Tube	W-1537611C1	395-495-595-695-795-895-995-3210-3220 3230-4210-4220-4230-4240-C50-C60-C70 C80-C90-C100-CX50-CX60-CX70-CX80-CX90 CX100-MX80C-MX90C-MX100C ALL W/ Carraro CAR707 Front Axle	A - 6.625" B - M18 x 1.5 LH thread
W-1966127C1 Ball Joint	-	395-495-595-695-795-895-995-3210-3220 3230-4210-4220-4230-4240-C50-C60-C70 C80-C90-C100-CX50-CX60-CX70-CX80-CX90 CX100-MX80C-MX90C-MX100C ALL W/ Carraro CAR707 Front Axle	A - M18 x 1.5 LH thread B - M18 x 1.5 RH thread C - 7.00"
W-1966125C1 Ball Joint	-	395-495-595-695-795-895-995-3210-3220 3230-4210-4220-4230-4240-C50-C60-C70 C80-C90-C100-CX50-CX60-CX70-CX80-CX90 CX100-MX80C-MX90C-MX100C ALL W/ Carraro CAR707 Front Axle	A - 7" B - M20 x 1.5 RH thread C - M18 x 1.5 RH thread
W-3134823R2 Tie Rod, Inner	-	523-654-724-824	20mm 25/32" Pin
W-112508A1 Ball Joint	W-1-33-743-602	2120 Narrow / SN CGC6018> 2130 Narrow / SN CGC9054> 2140 Narrow / SN CGC12136> FARMALL 75N - FARMALL 85N - FARMALL 95N JX1070N - JX1075N - JX1095N - (INDUSTRIAL/ CONSTRUCTION: 570LXT-580L-580SL)	A - 7.040" B - M20 x 1.5 RH thread C - M18 x 1.5 LH thread
W-126145A1 Tie Rod, Long Tube	W-D149728	(5120-5130-5140-5220-5230 5240-5250 ALL MFWD Axle) (INDUSTRIAL/CONSTRUCTION: 580SK MFWD Axle)	A - 8.00" B - M24 x 1.5 RH/LH thread
W-126144A1 Tie Rod, Long Tube	W-D149730	(5120-5130-5140-5220-5230 5240-5250 ALL MFWD Axle) (INDUSTRIAL/CONSTRUCTION: 580SK MFWD Axle)	A - 8.00" B - M24 x 1.5 RH/LH thread
W-N14377 Ball Joint	-	(5120-5130-5140-5220-5230-5240-5250 ALL MFWD Axle) - (INDUSTRIAL/CONSTRUCTION: 580SK MFWD Axle) - (MX100-MX100C-MX110 MX120-MX135-MX150-MX170-MX80C-MX90C ALL W/ 20:19 & 20:22 MFWD Axle)	A - 8" B - M22 x 1.5 RH thread C - M24 x 1.5 RH thread



CASE IH

FRONT AXLE / STEERING PARTS

CASE IH


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-N14388
Ball Joint

-

(5120-5130-5140-5220-5230
5240-5250 ALL MFWD Axle)
(INDUSTRIAL/CONSTRUCTION:
580SK MFWD Axle)

A - 8.250"
B - M22 x 1.5 RH thread
C - M24 x 1.5 RH thread




W-247523A1
Tie Rod, Long Tube

-

MX100-MX100C-MX110-MX120-MX135
MX150-MX170-MX80C-MX90C ALL W/
20:19 & 20:22 MFWD Axle

A - 10.25"
B - M24 x 1.5
RH thread




W-71820C91
Tie Rod, Inner

-

HYDRO 186 - HYDRO 100 - 786-886-986
1086-1486-1586-3088-3288-3488-3688
(766-966-1066-1466-1468-1566-1568
ALL LATE W/ AXLE PIVOT BALL, NOT PIN)
(5088-5288-5488 ALL EARLY W/ AXLE
PIVOT BALL, NOT PIN)

A - 2.750"
B - 1.315"
0.875" I.D. - 14 thread




W-1280566C2
Cylinder End,
Power Steering

-

5088-5288-5488-7110-7120-7130-7140-7150
7210-7220-7230-7240-7250-8910-8920-8930
8940-8950-MX100-MX110-MX120-MX135
MX150-MX170 ALL 2WD Models Only

A - 2.870"
B - 0.875" I.D.
14 NF thread




W-1277261C1
Tie Rod, Inner

W-81874903
W-293624A1
W-1969508C1
W-1969507C1
W-1277261C91
W-435665A1

5088-5288-5488-7110-7120-7130-7140-7150
7210-7220-7230-7240-7250-8910-8920
8930-8940-8950-(MX180-MX200-MX220
ALL SN<JJA0097997)

A - 3.125"
B - 1.00"
16 RH thread



W-A30435
Universal Joint,
Steering Shaft

-

730-830-930-1030

0.969" Cap
2.280" Length
Cap to Cap

CASE IH




W-112201
Complete Tie Rod
Assembly

-

770-870-970-1070-1175
(1090-1170 ALL SN<-8678074)

-



W-A44762
Tie Rod

-

770-870-970-1070-1175
(1090-1170 ALL SN<-8678074)

A - 3.750"
B - 1.000"
16 thread



W-A143028
Tie Rod, Long Tube
(8 notches)

-

770-870-970-1070-1175
(1090-1170 ALL SN<-8678074)









A - 17.750"
B - 0.937"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

CASE IH

FRONT AXLE / STEERING PARTS

Code / Name	Replaces	For Models	Dim / Info
W-A112202 Complete Tie Rod Assembly	-	1090-1170-1270-1370-1570 SN 8678074->	-
W-A43376 Tie Rod End	-	1090-1170-1270-1370-1570 SN 8678074->	A - 4.000" B - 1.000" 16 thread
W-A43374 Tie Rod, Long	-	1090-1170-1270-1370-1570 SN 8678074->	A - 17.687" B - 1.000"
W-A28704 Tie Rod	-	930 CK WESTERN - (730-830 ALL EH) INDUSTRIAL/CONSTRUCTION: 500LK W5	A - 3.500" B - 0.812" 18 LH thread
W-A28419 Tie Rod	-	930 CK WESTERN - DOM SN <-8339078 (730-830 ALL EH - DOM SN<-8332878 1030 DOM SN<-8332878) INDUSTRIAL/CONSTRUCTION: 500LK-680CK-W5	A - 3.500" B - 0.812" 18 RH thread
W-A41520 Tie Rod, Inner	-	(730-830-1030 ALL DOM SN 8332878->) 930 DOM SN 8339078->	A - 4.840" B - 1.000" 16 thread
W-359775A1 Tie Rod (RH)	W-180798C91	(1090-1170 ALL SN 8678074->) 1270-1370-1570	A - 3.750" B - 1.000" 16 thread
W-K207721 Tie Rod	W-K923766	1194-1294-1394	A - 2.750" B - 0.750" 20 NF RH thread
W-K207722 Tie Rod	W-K262852 W-K915962	1194-1294-1394-1491-1591	A - 3.780" B - 0.750" 20 NF RH thread
W-K908071 Tie Rod	-	1190-1194-1290-1294-1390-1394-1490 INDUSTRIAL/CONSTRUCTION: 380CK	A - 3.750" B - 0.750" 20 NF RH thread



CASE IH

63

WINNER BUSINESS


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-K929057
Tie Rod, Inner

-

INDUSTRIAL/CONSTRUCTION: 380CK

A - 3.125"
B - 0.875"
18 NF RH I.D. thread




W-D88491
Tie Rod

-

INDUSTRIAL/CONSTRUCTION: 480D-480E
480LL-580-580SD-580C-580D-580F-580G
580SE-584D-584E-585D-585E-586D-586E
586FL ALL 2WD

A - 3.750"
B - 0.875"
18 NF RH thread




W-D88492
Tie Rod

-

INDUSTRIAL/CONSTRUCTION: 480E-480LL
580SD-580D-580G-580SE-584D-584E-585D
585E-586D-586E-586FL ALL 2WD

A - 3.750"
B - 0.875"
18 NF LH thread




W-K965270
Tie Rod

-

1290-1390-1490 ALL 4WD - CARRARO 98854

A - 4.00"
B - M22 x 1.5
RH thread




W-K965269
Tie Rod

-

1290-1390-1490 ALL 4WD - CARRARO 98855

A - 3.750"
B - M22 x 1.5
LH thread




W-K260254
Tie Rod

-

(1490-1594-1690-1694 ALL MFD)
(INDUSTRIAL/CONSTRUCTION: (480E-480LL
580SD-580D-580SE-584D-584E-585D-585E
586D-586E ALL MFD) - (760-860 ALL
TRENCHERS W/ MFD))

A - 4.160"
B - 24 x 1.5
Metric RH thread




W-K260250
Tie Rod

-

(1394-1494-1594-1690 ALL MFD)
(INDUSTRIAL/CONSTRUCTION:
(480E-480LL-580SD-580D-580SE-584D-584E
585D-585E-586D-586E-586FL ALL MFD)
(760-860 ALL TRENCHERS W/ MFD))

A - 4.160"
B - 24 x 1.5
LH mm thread




W-G45368
Tie Rod

-

200B-300B-400B-430-530-630
(INDUSTRIAL/CONSTRUCTION: 430CK-480B
480CK-530CK-580CK-580B ROAD RUNNER
(STW16-W110 ALL ROLLER))

A - 3.125"
B - 0.687"
18 RH thread



W-G45369
Tie Rod







-

200B-300B-400B-430-530-630
(INDUSTRIAL/CONSTRUCTION: 430CK-480B
480CK-530CK-580B-580CK)

A - 3.125"
B - 0.687"
18 LH thread

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-302643A1 Tie Rod, MFWD	-	MX180-MX200-MX210-MX220-MX230	A - 20.25" B - 4.38" C - 1.375" 12 UNF LH thread
W-302645A1 Tie Rod, MFWD	-	MX180-MX200-MX210-MX220-MX230	A - 20.25" B - 4.38" C - 1.375" 12 UNF RH thread
W-5109553 Tie Rod	W-312901916 W-312906276 W-312900313 W-72093231	(FARMALL 60 - FARMALL 70 - FARMALL 80 FARMALL 90 - FARMALL 95 - JX100U-JX108U-JX1090U JX1100U-JX55-JX60-JX65-JX70-JX70U-JX75-JX80 JX80U-JX85-JX90-JX90U-JX95 ALL MFWD) (FARMALL 65C - FARMALL 75C - FARMALL 85C JX1070C - JX1075C - JX1085C ALL 2WD)	A - 3.156" B - M20 x 1.0 RH thread
W-1332805C2 Tie Rod, Long	W-1332805C1	(395-495-595-685-695-885-4210-4230-4240 C50-C60-C70-C80-C90-C100-CX50-CX60 CX70-CX80-CX90-CX100-MX80C-MX90C MX100C ALL 2WD) - (485-3220-3230 ALL 2WD Swept Back Axle) - 385 2WD SN 5001-5287 & 18001>]	A - 15.125" B - 0.812"
W-87395648 Tie Rod	W-87542553	FARMALL 90 - FARMALL 95 - JX75-JX80-JX85 JX90-JX95 - MAXXUM 100 - MAXXUM 110 MAXXUM 115 - MAXXUM 120 - MAXXUM 125 MAXXUM 130 - MAXXUM 140 - MXM120-MXM130 MXM140-MXM155-MXM175-MXM190-MXU100 MXU110-MXU115-MXU125-MXU130-MXU135 PUMA 115 - PUMA 125 - PUMA 140 - PUMA 155	A - 4.00" B - M24 x 1.5 RH thread
W-5166131 Tie Rod, Long	-	JX1060C-JX1070C-JX1075C-JX1085C ALL 2WD	A - 21.00" B - 0.79"
W-81864115 Tie Rod	W-82857367 W-87713006	TRACTOR: (MAXXUM 100 - MAXXUM 110 MAXXUM 115 - MXU100 - MXU110 - MXU115 ALL 2WD)	A - 2.875" B - 1.250" 12 RH thread



CASE IH

FRONT AXLE / STEERING PARTS

CASE IH


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-A40962
Tie Rod

-

1394 - (INDUSTRIAL/CONSTRUCTION: 480B
480C-480CK-480D-480LL W/ STD / LONG
AXLES W/ STD WHEEL BASE - 530CK-580B
ROAD RUNNER - 580C-580CK-580D-580F
584E-585D-585E-586D-586E
(760-860 ALL TRENCHERS)

A - 2.190"
B - 0.687"
18 RH thread




W-A40963
Tie Rod, Inner

-

INDUSTRIAL/CONSTRUCTION: 480CK
530CK - 580CK - 480B SN < 8435171
580B SN < 8741258

A - 2.440"
B - 0.687"
18 RH I.D. thread



W-A160200
Tie Rod

W-A162214

1896-2090-2094-2096-2290-2294-2390
2394-2590-2594 ALL W/ STD / LONG
AXLE W/ 110" STD WHEEL BASE

A - 3.750"
B - 0.812"
RH thread



W-112203
Complete Tie Rod
Assembly

-

1896-2090-2094-2096-2290-2294 ALL W/ STD /
LONG AXLES W/ STD WHEEL BASE

-




W-A112204
Complete Tie Rod
Assembly

-

1896-2090-2094-2096-2290-2294-2390-2394
2590-2594 ALL W/ STD / LONG AXLE W/
110" WHEEL BASE

-




W-A160197
Tie Rod, Long

-

1896-2090-2094-2096-2290-2294-2390
2394-2590-2594 ALL W/ STD / LONG AXLE
W/ 110" WHEEL BASE

A - 21.5" Long
B - 1.250" Dia.




W-A52166
Ball Joint

-

1896 SN < 17895962 W/ ZF MFWD Axle
2096 SN < 17898102 W/ ZF MFWD Axle
(2294-3294-3394-3594 ALL W/ ZF MFWD Axle)

A - 9.00"
B - M24 x 1.5 RH thrd.
C - M28 X 1.5 RH thrd.




W-G102130
Tie Rod

W-A62069

1090-1170-1270-1370-1570-1175 SN < 8736747

A - 3.000"
B - 0.750" - 16 RH




W-L59042
Tie Rod

-

1896-2090-2094-2096
2290-2294-2390-2394-2590-2594

A - 3.375"
B - 0.875" - 14 RH



W-85805975
Ball Joint

-

2120 Narrow SN CGC6018>
2130 Narrow SN CGC9054>
2140 Narrow SN CGC12136>
(INDUSTRIAL/CONSTRUCTION:
570LXT-580L-580SL)

A - 7.00"
B - M20 x 1.5 RH thread
C - M18 x 1.5 RH thread



W-411904A1
Tie Rod, Long Tube

-

MX150 - MX170

A - 9.375"
B - M24 X 1.5"
RH thread






CASE IH

66

WINNER BUSINESS

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-1342711C1 Universal Joint	-	(395-495 ALL W/ ZF MFWD Axle) 595 W/ APL325 MFWD Axle (695-885-895 ALL W/ APL330 MFWD Axle) - (685-743 745-745S-785-795-844-844S-845-856-985-995 ALL Greased through U-J Carrier into cap)	1.064" Cap Size 2.750" Cap to Cap
W-81428C1 Pin, Hub	-	(395-485-495-585-595 ALL W/ 4WD APL325 Front Axle) - (485-585-595-685-695-743 745-745S-785-795-844-844S-845-856-885 895-985-995 ALL W/ 4WD APL330 Front Axle)	-
W-128114A1 Disc, Plate Separator	-	7210-7220-7230-7240-7250-8910-8920-8930-8940 8950 ALL MFD Clutch	OD across tabs 6.215" OD 5.540" ID 4.215"
W-1997907C1 Plate, Friction	-	7210-7220-7230-7240-7250-8910-8920-8930-8940 8950 - MAGNUM 215 - MAGNUM 245 - MAGNUM 255 MAGNUM 275 - MAGNUM 305 - MAGNUM 335 - MX180 MX200-MX210-MX220-MX230-MX240-MX255-MX270 MX285 ALL MFD Clutch	48 Teeth 0.080" Width OD 5.545" ID major 4.160" ID minor 3.882"
W-3216599R91 Axle Shaft, Short ZF Axle	-	(644-744-745-745S-844S ALL W/ 4WD - APL1351) (585-685-743-745-785-844-856-884-885 ALL W/ 4WD - APL1351 Single Joint Shaft)	-
W-3230278R1 Shaft, Axle (RH) (APL351 MFWD Axle)	-	644-744-844-844S	-
W-ZP1927253 Bearing, U-Joint	W-81927253	644-744-844-844S-955-956-1055-1056-1255 ALL W/ ZF APL3052 Front Axle	38mm x 105.6mm 1.496" x 4.157"
W-3230277R1 Cross & Bearing Kit	-	258-268-278-584-585-644-684-685-744-784 785-844-844S-884-885 - HYDRO 84 ALL 4WD	27mm x 81.7mm 1.063" x 3.217"
W-9968059 Universal Joint	W-CAR40825 W-144465A1	(MX80C-MX90C-MX100-MX110-MX120-MX135 ALL W/ Carraro 20:19 axle) - 5120-5130-5140 5220-5230-5240-5250 - (INDUSTRIAL/ CONSTRUCTION: (480F-480FLL ALL Carraro 710#126809)-570LXT-570MXT-580G-580K-580L 580L SERIES 2 - 580M-580SK-580SL-580SM 584E-585E-585G-586E-586G-588G 590-590SM-760-860))	27mm x 70.9mm 1.062" x 2.791"



CASE IH

FRONT AXLE / STEERING PARTS


CASE IH

Code / Name

Replaces

For Models

Dim / Info




W-5194198
Universal Joint

W-100546A1
W-1537634C1
W-324210A1
W-CAR40872

C50-C60-C70-C80-C90-C100-CX50-CX60-CX70
CX80-CX90-CX100-JX1070N-JX1075N-JX1095N
MX80C-MX90C-MX100C-395-495-595-695-895
995-2120-2130-2140-2150-3220-3230-4210
4230-4240 ALL W/ MFWD) - (INDUSTRIAL/
CONSTRUCTION: (584E-585E-586E-660
ALL W/ MFWD))

23.8mm x 62.5mm
0.937" x 2.461"




W-83930383
Universal Joint

-

1294-1394-1494-1594
ALL W/ Carraro AE1-169 4WD Front Axle

27mm x 75mm
1.062" x 2.953"




W-CAR96861
Universal Joint

W-K956872
W-K956951
W-96861
W-133700421017
W-K260189

1390 MFWD - 1394 MFWD SN<11503001
1594 MFWD SN < 11221501 - 1690 MFWD
(INDUSTRIAL/CONSTRUCTION: 580D-580F-580G
580SD-580SE-584D-584E-585D
585E-586D-586E)

30mm x 92mm
1.181" x 3.622"




W-85807283
Universal Joint

W-247543A1
W-337260A1

MX80C-MX90C-MX100-MX100C
MX110-MX120-MX135

27mm x 71mm
1.063" x 3.217"




W-253073A1
Universal Joint

-

MX100-MX110-MX120-MX135
MX150-MX170 ALL W/ MFWD

30.1mm x 82mm
1.185" x 3.228"




W-126761
Universal Joint

-

7110-7120-7130-7140-7150-7210-7220
7230-7240-7250 ALL MFWD

34.9mm x 106.4mm
1.375" x 4.1875"



W-247298A1
Universal Joint

W-302764A1










8910-8920-8930-8940-8950
MX180-MX200-MX220-MX240-MX270

34.9mm x 106.4mm
1.375" x 4.2"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-9968023 Kinpin; MFWD Upper	W-CAR128880 W-47108555 W-3523549M1 W-122260A1	TRACTOR: MX100-MX110-MX120-MX135-MX150-MX170	-
W-9968025 Kinpin; MFWD Lower	W-82850292 W-CAR128881 W-47108554 W-6190566M1 W-3523550M1 W-122259A1	MX80C-MX90C-MX100-MX100C-MX110 MX120-MX135-MX150-MX170	-
W-81863173 Kingpin; MFWD Upper	W-1995414C1 W-CAR125149 W-B503049	5120-5130-5140-5220-5230-5240-5250	-
W-N13504 Kingpin; MFWD Lower	W-83952503 W-CAR118526 W-3475348M1 W-153326212 W-137700410835	5120-5130-5140-5220-5230-5240-5250	-
W-250732A1 Shaft, Axle (LH); MFWD	-	8910-8920-8930-8940-8950	-
W-250733A1 Shaft, Axle (RH); MFWD	-	8910-8920-8930-8940-8950	-
W-231021A2 Yoke, Outer Front Axle	W-231021A1	8910-8920-8930-8940-8950 MX180-MX200-MX220-MX240-MX270	-
W-231014A1 Cap, Kingpin (MFWD)	-	8910-8920-8930-8940-8950	-
W-378409A1 Cap, Kinpin (MFWD)	W-294040A1	MX180-MX200-MX210-MX215-MX220 MX230-MX245-MX275-MX305	2 Used
W-86505030 Kingpin, Large Cap	W-1277406C2 W-1277406C1	5088-5288-5488-7110-7120-7130-7140-7150 7210-7220-7230-7240-7250 ALL MFWD	-




Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name

Replaces

For Models

Dim / Info




W-67121-56520
Tie Rod End

-

COMPACT TRACTOR:
B1550-B1750-B5200-B6200-B7200-B4200

A - 2.87"
B - M12 x 1.5
LH thread




W-67950-56520
Tie Rod End

-

COMPACT TRACTOR:
B2410-B2710-B2910-B7300

A - 2.87"
B - M12 x 1.5
LH thread




W-67950-56530
Tie Rod End

-

COMPACT TRACTOR:
B2410-B2710-B2910-B7300

A - 3.00"
B - M12 x 1.25
RH thread




W-38440-44780
Tie Rod End

-

(COMPACT TRACTOR: B2150-L185 SN: 50001>
L2050-L2250-L235-L2350-L245H-L2500-L2550
L2850-L285-L3250-L4200-L4310) - (INDUSTRIAL/
CONSTRUCTION: B20-B21) - (COMPACT TRACTOR:
B8200-B9200 - (B1700-B2100-B2400 ALL 2WD
(E/HSE)) - L245-L2650 ALL 2WD or 4WD SN<50145
L295 2WD (F) Front Drag Link End SN 12224>
L2950 ALL 2WD or 4WD SN < 50198 - (L3010
L3300 ALL 2WD (F)) - L3450 ALL 2WD or 4WD SN
<50198 - L3650 ALL 2WD or 4WD SN <50212)

A - 3.625"
B - M16 x 1.5
RH thread




W-38440-44790
Tie Rod End

W-34160 - W-12700
W-32150 - W-12700

INDUSTRIAL/CONSTRUCTION: B20-B21
(COMPACT TRACTOR: B2150-B8200-B9200
L185-L2050-L2250-L235-L2350-L245
L2500-L275)

A - 3.50"
B - M16 x 1.5
LH thread




W-66711-56550
Tie Rod End

-

COMPACT TRACTOR: B5100-B6000-B6100

A - 2.375"
B - M12 x 1.5
LH thread




W-67121-56530
Tie Rod End

-

(COMPACT TRACTOR: B1550-B1750-B4200
B5200-B6200-B7200) - (FRONT MOWER:
F2000 SN: <10080)

A - 3.00"
B - M12 x 1.25
RH thread



W-66711-56540
Tie Rod End

-

COMPACT TRACTOR: B6000-B6100-B5100

A - 2.38"
B - M12 x 1.5
RH thread



W-6C120-56420
Complete Tie Rod
Assembly

-








COMPACT TRACTOR:
B7410-B7500-B7510-B7610

23.50"
Center to Center


KUBOTA

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Code / Name	Replaces	For Models	Dim / Info
W-76611-56470 Tie Rod End	-	FRONT MOWER: F2000 SN: 10081 > F2100-F2400	A - 3.00" B - M16 x 1.5 RH thread
W-76611-56480 Tie Rod End	-	FRONT MOWER: F2000 SN: 10081 > F2100-F2400	A - 2.94" B - M16 x 1.5 LH thread
W-32430-44612 Complete Tie Rod Assembly	-	(COMPACT TRACTOR: L2650 4WD (DT) SN < 50145 - (L2950-F3450 ALL 4WD (DT) SN <50198) - L3650 4WD (DT) SN < 50212)	-
W-36200-62932 Tie Rod	-	(COMPACT TRACTOR: L295 4WD (DT) SN < 14664) - (M4000-M4050-M4500-M7500 ALL inner 2WD or 4WD drag link end)	A - 3.40" B - M20 x 1.0 RH thread
W-36200-62872 Tie Rod, Long (7 notches on top)	-	M4000-M4050-M4500-M7500 ALL 2WD	A - 14.75" B - 0.787"
W-35523-62920 Tie Rod	-	M4030-M4030SU-M5030-M6030-M7030 M8200-M9000 ALL 2WD	A - 3.56" B - M20 x 1.5 RH thread
W-35820-62930 Tie Rod	-	M4950 2WD SN <10030 or 4WD SN <50122 M5950 2WD SN <10030 or 4WD SN <50031 M6950 2WD SN <10030 or 4WD SN <50061 M7950 2WD SN <10030 or 4WD SN <50232	A - 3.81" B - M20 x 1.5 RH thread
W-36280-62902 Complete Tie Rod Assembly (RH)	-	M4500-M5500 ALL 4WD SN 10001->	A - 21.00" B - 1.080"
W-35860-62930 Tie Rod	-	(M4950-M5950 ALL 2WD SN 10031-> or 4WD SN 50123->) M6950 2WD SN 10061-> or 4WD SN 50062-> M7950 2WD SN 10101-> or 4WD SN 50233-> (M4950S-M5950S-M6950S M7950S-M8950 ALL 2WD)	A - 3.812" B - M20 x 1.5 RH thread
W-35860-62873 Tie Rod, Long	-	M7950 SN 10101->	A - 0.788" B - 15.75"



KUBOTA




W-35533-62920
Tie Rod, Long Tube

-

TRACTOR: M4030-M4950S-M5030-M5950S
M6030-M6800-M6950S-M7030-M7030SU
M8030-M8200 ALL 4WD (DT)

A - 7.00"
B - 1.08"
C - M20 x 1.5
RH thread




W-3A012-62920
Tie Rod

-

M4700 2WD SN 40003->
M5400 2WD SN 40002->

A - 3.156"
B - M20 x 1.5
RH thread




W-3A011-62922
Tie Rod

-

(M4800SU-M4900-M4900SU-M5700-M6800
ALL 2WD) - M4700 2WD SN <-30444
M5400 2WD SN <-30180

A - 3.390"
B - M20 x 1.5
RH thread



W-36710-62920
Tie Rod, Long Tube

-

M7580-M7950S-M8580-M8950S-M9580
ALL 4WD (DT)

A - 8.250"
B - M18 x 1.5
RH thread




W-35880-62870
Tie Rod, Long

-

M8950 2WD

A - 15.75"
B - 0.863"




W-3A161-62920
Tie Rod, Long Tube

-

M105S-M105X-M110-M9000-M95S ALL 4WD

A - 9.44"
B - 1.08"
C - M20 x 1.5
RH thread

WINNER
BUSINESS



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.